

SCIENTIFIC AMERICAN

[Entered at the Post Office of New York, N. Y., as Second Class Matter. Copyright, 1897, by Munn & Co.]

A WEEKLY JOURNAL OF PRACTICAL INFORMATION, ART, SCIENCE, MECHANICS, CHEMISTRY, AND MANUFACTURES.

Vol. LXXVII.—No. 1.
ESTABLISHED 1845.

NEW YORK, JULY 3, 1897.

[\$3.00 A YEAR.
WEEKLY.]


AMERICAN BUILT CRUISERS FOR JAPAN.

There is good reason to hope that the recent placing of orders for the construction of two foreign warships in American yards will prove the first step toward building up an extensive foreign business in this par-


ticular line. The unfortunate decadence of our merchant marine has left our shipbuilding yards with small prospects of securing many orders for ocean freight and passenger ships; but if we can only secure a reasonable share of the warship construction which is

being done by England and France for foreign governments, it would keep our leading shipbuilding yards in steady employment, and the trade being once established, it would be certain to increase in volume.

The good work of the Union Iron Works, of San



SHEER AND DECK PLANS OF JAPANESE CRUISER BUILDING AT THE UNION IRON WORKS, SAN FRANCISCO.



JAPANESE UNARMORED CRUISER BUILDING IN AMERICAN YARDS.

Water line length, 396 feet; beam, 49 feet; draught, 17 feet 7 inches; displacement, 4,760 tons; speed, 22½ knots.

Francisco—the leading shipbuilding plant on the Pacific coast—has borne fruit; and the firm is to build a craft for the imperial Japanese government in substantial token of the impression made in the East by the Charleston and the Olympia, the fabrications of that yard. An order for a duplicate vessel was placed at the same time with William Cramp & Sons, of Philadelphia.

The new vessel, designated by the Japanese as a second class, unarmored, protected cruiser, is unlike any vessel in our service; and is modeled after several swift cruisers of English build constructed for other nations, the best of which boats is the Japanese Yoshino, which took a very active part in the late Chino-Japanese war, and during her wide service proved herself an exceptionally effective craft.

The cruiser to be built by the Union Iron Works is an enlarged and bettered Yoshino; and it is no small credit to the Pacific yard that it is willing to trust its standing upon the development of lines peculiarly English and to start afresh where the patient practice of its rival has halted.

The new ship will have a load water line length of 396 feet; an extreme beam of 49 feet; and upon a normal displacement of 4,760 tons will draw 17 feet 7½ inches of water.

There will be twin screws, each screw being driven by a triple expansion engine. These engines, which are in separate compartments, are of the four cylinder type; and each will have a high pressure cylinder of 40 inches, an intermediate pressure cylinder of 60 inches, and two low pressure cylinders of 66 inches in diameter. The common stroke is three feet, and when they work at their maximum power the engines will develop 15,000 indicated horse power, and will induce a speed of quite 22½ knots an hour. The probability is that this speed will be exceeded.

Steam will be supplied by four double-ended and four single-ended boilers, in four separate watertight compartments; and forced draught will be induced by large blowers exhausting directly into the closed fire rooms. The normal coal supply will be 350 tons, but the bunker capacity will be for 1,000 tons; and upon this liberal allowance the vessel will have an exceptionally wide radius of action. The coal will be stowed abreast the boilers and the engines for the sake of added protection; and to lessen the tax of handling, it will be arranged to fall right in upon the fire room floors.

There is a double bottom from stem to stern, and a cellular form of structure prevails along the water line region. This arrangement, in conjunction with the disposition of coal, and a protective deck, 4½ inches thick on the slopes and 1¾ inches thick on the flat portion, extending from bow to stern and generally about the level of the water line, offers excellent protection against high explosive shell fire, and guarantees shelter for the vitals and the preservation of stability.

The Japanese know only too well the danger of conflagration in action and its vital menace to efficiency, and with a view to protection, every bit of woodwork will be fireproofed. The ship will be lighted by electricity and ventilated by natural and artificial means; and comfortable and healthful accommodations are planned for the complement of 405 persons.

The armament will consist, in the main battery, of two 8 inch quick-firing rifles and ten 4.7 inch quick-firing rifles, and, in the secondary battery, of twelve 12 pounders and six 2½ pounders. The 8 inch guns are mounted one on the forecastle and one on the poop deck, and each will have an arc of fire of 270°. These guns are protected by steel shields, and, in their rapid-fire mechanisms, are beautiful evidences of skill. Each projectile weighs 210 pounds, and a speed of fire of four aimed shots in sixty-four seconds has been attained by a well trained crew. While our own 8 inch guns fire a shell of 250 pounds, our best practice has been one shot in a minute and a half. The 4.7 inch guns are mounted on the main deck, in 3 inch armored sponsons, and are further protected by shields. The forward and aft 4.7 inch guns fire dead ahead and dead astern, respectively, and have a total arc of fire, each, of 130°. The rest of these guns, in broadside, have a radius of fire of about 100°.

The 12 pounder guns are mounted on the main deck amidships and one at the bow and one at the stern, on each side, in sponsons. These guns likewise have effective arcs of fire. The 2½ pounders are carried on the hammock berthing and in the military tops.

The whole armament is capable of great rapidity of fire, and all the guns will be manufactured by the celebrated Armstrong firm, of Newcastle, England. The ammunition for the heavier guns is raised by electrical hoists, while that for the secondary battery will be raised by hand. There are five torpedo tubes, one in the stem and two on each broadside, for the discharge of 14 inch Whitehead torpedoes.

The new ship will have the characteristic handiness of maneuvering common to the Yoshino and her type, and will form, with her sister ship, a valuable addition to the new Japanese navy.

We are indebted to the Union Iron Works, of San Francisco, for plans and particulars.

Scientific American.

ESTABLISHED 1845

MUNN & CO., - - - EDITORS AND PROPRIETORS.

PUBLISHED WEEKLY AT

No. 361 BROADWAY, - - NEW YORK.

TERMS FOR THE SCIENTIFIC AMERICAN.

(Established 1845.)

One copy, one year, for the U. S., Canada or Mexico.....\$3.00
One copy, six months, for the U. S., Canada or Mexico..... 1.50
One copy, one year, to any foreign country, postage prepaid, £0 16s. 5d. 4.00
Remit by postal or express money order, or by bank draft or check.
MUNN & CO., 361 Broadway, corner Franklin Street, New York.

The Scientific American Supplement

(Established 1876)

is a distinct paper from the SCIENTIFIC AMERICAN. THE SUPPLEMENT is issued weekly. Every number contains 16 octavo pages, uniform in size with SCIENTIFIC AMERICAN. Terms of subscription for SUPPLEMENT, \$5.00 a year, for the U. S., Canada or Mexico. \$6.00 a year, or £1 4s. 8d., to foreign countries belonging to the Postal Union. Single copies 10 cents. Sold by all newsdealers throughout the country. See prospectus, last page.
Combined Rates.—The SCIENTIFIC AMERICAN and SUPPLEMENT will be sent for one year, to one address in U. S., Canada or Mexico, on receipt of seven dollars. To foreign countries, eight dollars and fifty cents a year, or £1 11s. 11d., postage prepaid.

Building Edition of Scientific American.

(Established 1885.)

THE BUILDING EDITION OF THE SCIENTIFIC AMERICAN is a large and splendidly illustrated periodical, issued monthly, containing floor plans and perspective views pertaining to modern architecture. Each number is illustrated with beautiful plates, showing desirable dwellings, public buildings and architectural work in great variety. To architects, builders, and all who contemplate building this work is invaluable.
Single copies 25 cents. By mail, to any part of the United States, Canada or Mexico, \$2.50 a year. To foreign countries, \$3.00 a year, or £0 12s. 4d. Combined rate for BUILDING EDITION with SCIENTIFIC AMERICAN, to one address, \$5.00 a year. To foreign countries, \$6.50 a year, or £1 6s. 9d. Combined rate for BUILDING EDITION, SCIENTIFIC AMERICAN, and SUPPLEMENT, \$9.00 a year. To foreign countries, \$11.00 a year, or £2 8s. 2d., postage prepaid.

Export Edition of the Scientific American

(Established 1878)

with which is incorporated "LA AMERICA CIENTIFICA E INDUSTRIAL," or Spanish edition of the SCIENTIFIC AMERICAN, published monthly, uniform in size and typography with the SCIENTIFIC AMERICAN. Every number contains about 100 pages, profusely illustrated. It is the finest scientific industrial export paper published. It circulates throughout Cuba, the West Indies, Mexico, Central and South America, Spain and Spanish possessions—wherever the Spanish language is spoken. THE SCIENTIFIC AMERICAN EXPORT EDITION has a large guaranteed circulation in all commercial places throughout the world. \$3.00 a year, or £0 12s. 4d., postpaid to any part of the world. Single copies, 25 cents.

MUNN & CO., Publishers, 361 Broadway, New York.

The safest way to remit is by postal order, express money order, draft or bank check. Make all remittances payable to order of MUNN & CO.
Readers are specially requested to notify the publishers in case of any failure, delay, or irregularity in receipt of papers.

NEW YORK, SATURDAY, JULY 3, 1897.

Contents.

(Illustrated articles are marked with an asterisk.)

American ships for Japan*.....	3	Kiteballoon, Parseval's, German	10
Bacteria, uses of.....	4	army.....	5
Balloons, army*.....	10	Lands, the public.....	5
Battleship Massachusetts, figure		Locomotive valve testing device,	
of Victory for*.....	7	Sadler's*.....	6
Bicycle brake, Borgfeldt's*.....	6	Marine statistics.....	5
Books, new.....	12	Metals, the fatigue of.....	4
Bridge, St. Lawrence, Quebec.....	4	Notes and queries.....	13
Cruisers, American, for Japan*.....	3	Patent decision, recent.....	8
Egyptian crocodile mummy, an.....	10	Patent office rules abrogated.....	4
Flooring materials, wearing qual-		Patents granted, weekly record.....	12
ities of*.....	6	Pump, the world's biggest*.....	11
Fluorine, liquefaction of.....	8	Railroad building, fast.....	8
Fresenius, Prof., death of.....	5	Railroad rails, expansion of.....	9
Glacier eruption, a.....	9	Science notes.....	9
Government without taxation.....	5	Swing, Bausman's*.....	7
Heavens, the, for July.....	9	Switch, railway, Lickstrom's*.....	7
Indians, Yukiah, last of*.....	11	Victory, figure of, for a battle-	
Insanity in animals.....	7	ship*.....	8
Inventions recently patented.....	12	Yacht, fastest steam.....	8

TABLE OF CONTENTS OF

Scientific American Supplement

No. 1122.

For the Week Ending July 3, 1897.

Price 10 cents. For sale by all newsdealers.

	PAGE
I. AUTOCARS.—The Engineer Motor Car Competition at the Crystal Palace, London.—Detailed description of the several horseless carriages which were presented in the competition.—The reasons for giving up the race are also given.—6 illustrations.....	17394
II. BOTANY AND HORTICULTURE.—Lathyrus Splendens.—1 illustration.....	17941
Solandra Grandiflora.—1 illustration.....	17940
III. CHEMISTRY.—The Prevention and Removal of Smells.—By FREDERICK H. GREEN.....	17936
IV. CIVIL ENGINEERING.—The Blackwall Tunnel Beneath the Thames.—A detailed description of this most important engineering work, accompanied by illustrations of the engineers, the completed tunnel and the machinery used in constructing the same.—A most full and elaborate paper.—13 illustrations.....	17927
V. GEOLOGY.—The Arctic Sea Ice as a Geological Agent.—By RALPH S. TARR.....	17941
VI. HYGIENE.—Efficiency of Kerosene Tests.....	17937
VII. MARINE ENGINEERING.—Note on the Bessemer Fleet.....	17931
VIII. MEDICINE.—The Study of Crime and Degeneration from a Medical Standpoint.—By WILLIS S. ANDERSON.....	17937
IX. METALLURGY.—Smelting Furnace Burning Kerosene as Fuel.—2 illustrations.....	17931
X. MISCELLANEOUS.—Reception of the Emperor and Empress of Russia by the French Academy, October 7, 1896.—1 illustration.....	17938
Engineering Notes.....	17933
Electrical Notes.....	17933
Miscellaneous Notes.....	17933
Selected Formulae.....	17932
XI. MUNICIPAL ENGINEERING.—Lighting American Cities.....	17936
XII. PHOTOGRAPHY.—X Rays and Photographic Compounds.—Some researches in fluorescent action.—By V. E. JOHNSON.....	17932
XIII. STEAM ENGINEERING.—Independent Surface Condenser.—1 illustration.....	17934
XIV. TECHNOLOGY.—Recent Information on Light Alloys.....	17932
Note on the Leather Industry of Germany.....	17941
Acetylene for Yacht Lighting.....	17941
XV. TRAVEL AND EXPLORATION.—Stockholm.—13 illustrations.....	17938
Alaska Developments.....	17940

PROPOSED BRIDGE ACROSS THE ST. LAWRENCE AT QUEBEC.

We have received from Mr. Charles Baillairgé a sketch of a design which was made by him some forty years ago, for a proposed trussed railway suspension bridge across the St. Lawrence River, opposite Quebec. Our correspondent points out that the question of a bridge of this kind at Quebec is by no means a new one, and that this design, which we now have before us, was submitted as being the best solution of the problem of conveying the railroad and highway traffic across the river. Attention is called to the fact that this sketch of over forty years ago embodies the best features of modern practice for long span railway bridges. The distance across the river, opposite Dufferin Terrace, from cliff to cliff, is 4,800 feet, and this was to be spanned by three 1,200 foot river spans and two 600 foot shore spans. The bridge was to have been built on the trussed suspension system and was to have a double deck, the lower deck being used for railroad traffic and the upper deck for highway and pedestrian traffic. The foundations were to have been carried down more than 150 feet below high water, the piers being built of solid first-class masonry up to the level of the lower floor or deck of the bridge.

The plan view shows an arrangement of five cables. The center cable was to hang in a vertical plane, the four outer cables being considerably "cradled." Mr. Baillairgé points out that this old design is quite applicable in its broad features to the conditions of modern bridge building, and that it would merely be necessary to make such changes in the details as would be called for by modern developments in the manufacture of steel and general bridge material. It is pointed out that the deep foundations could be constructed on the principle of the Hawkesbury River piers erected a few years ago in Australia by the Union Bridge Company, of New York, in which some of the piers were carried down through mud and sand to a depth of 180 feet.

THE NEW RULES OF PRACTICE OF THE PATENT OFFICE ABROGATED.

The revised rules of practice of the Patent Office, which were promulgated by the late Commissioner of Patents, were abrogated Saturday, June 19, by Secretary Bliss on the recommendation of Commissioner Butterworth, and the original rules of practice, which were in force April 1, 1892, have been reinstated. The original rules referred to numbered in all two hundred and twenty-nine, and they were condensed by the late Commissioner to eighty-eight.

In abrogating the revised rules of his predecessor, Mr. Butterworth has incorporated several amendments bearing upon the practice of the Patent Office. Of these, rule 17 reads as follows:

"An applicant or assignee of an entire interest may prosecute his own case, but he is advised, unless familiar with such matters, to employ a patent attorney, as the value of a patent depends largely upon the skillful preparation of the specification or claims.

"An applicant may be represented by
"(a) Any person who, at the date of approval of this rule, is in good standing as a practitioner before the Patent Office.

"(b) Any attorney-at-law in good standing in any court of record in the United States or in any of the States or Territories thereof.

"(c) Any person of good moral character who shall show to the satisfaction of the Commissioner of Patents that he is duly qualified to act as attorney in the prosecution of cases before the office."

THE FATIGUE OF METALS.

An investigation of the fracture of a steel rail on the Great Northern Railway, in England, has brought out some interesting facts bearing upon the question of the fatigue of metals. On the occasion in question a Bessemer steel rail, which had been in use for about twenty-two years, broke into nearly a score of pieces beneath the wheels of a Great Northern express train, causing a serious wreck. An examination was carried out by Mr. Thomas Andrews, M. Inst. C.E., and in a paper on microscopic observation on the deterioration by fatigue in steel rails, he gives some very interesting particulars regarding the appearance of the broken fragments of the rail. The composition of the rail was as follows: Carbon 0.53 per cent, silicon 0.12 per cent, phosphorus 0.08 per cent, sulphur 0.09 per cent. The microscopic examination revealed a large number of fine hair cracks, and Mr. Andrews concludes that the continual hammering of the wheels had developed these minute fractures throughout the body of the metal and produced the remarkable simultaneous failure which occurred at many points of the rail. The occurrence of such hair-like cracks in manufactured steel is not uncommon, and just what it is that causes them is an open question. It is possible they occur in the process of rolling, and that in the case of steel rails they are to be traced to this origin more than to the severe concussion of the traffic which passes over them. This supposition is borne out by the fact that such cracks are to be found in the newly finished output of the mills,

and if they are to be prevented, the cure will have to be found in the process of manufacture. The fatigue of metal is a pretty theory, and one which was largely accepted a few years ago. To-day, however, it is believed that such fatigue does not take place, except, perhaps, in cases where the metal is subjected to very violent and long-continued strains.

MUNICIPAL GOVERNMENT WITHOUT TAXATION.

The city of Glasgow, Scotland, is in the fortunate position of being able to pay all the expenses of the city government out of the revenue derived from its public improvements—a state of things which has earned for this city the title to be called the most advanced and best governed city in the world. The details regarding the system employed by the municipal authorities are given in a letter from Mr. Joseph Asbury Johnson, in the Morning Call, of San Francisco, from which it appears that the progress of improvement of the city dates from the year 1854, when a number of philanthropic citizens formed an association for the improvement of the condition of the slum population. This was practically the beginning of a reform movement which ultimately resulted in an act of Parliament empowering the city corporation to carry out the work which philanthropy and private effort had failed to accomplish. It is claimed that at this time the condition of the poor in the city was worse than in any other of the cities of Great Britain. On June 11 occurred the thirty-first anniversary of the passage by the British Parliament of the Glasgow Improvement Trust Act. The measure has worked so well that to-day the slum districts are practically eradicated. The city condemned the wretched tenements and erected in their place the very best form of modern sanitary buildings, containing one, two, three, four, or five room apartments, which the city rents to the tenants at from \$3 to \$17 a month. The water and gas rates which are paid to the city are merely nominal and reduce the cost of living to a minimum. There are altogether over one thousand of these suites of rooms or flats owned by the city and rented at the prices named above, and at the average rate of six persons to the flat, there are over six thousand people accommodated in this way. The scheme has been so well managed that the income derived by the city not only covers the interest of the investment, cost of maintenance, and all incidental expenses, but there has actually accumulated a sinking fund which is gradually wiping out the debt incurred in the purchase of the condemned property and constructing the new tenements.

Encouraged by the success of this experiment, the city organized a system of relief and benefit for widows and widowers with small families who are obliged to go to their daily labor and have no one in whose care they can leave the children. A large building was erected, containing one hundred and seventy-five bedrooms and a number of nurseries, bathrooms, kitchens, and playrooms for the children, and a staff of nurses was engaged to look after the little ones during the entire day. The charges are extremely low, including as they do light, heat, washing and care of the children, etc. The prices paid are as follows: For a mother and child, 79 cents per week; a mother and two children, 95½ cents; with three children, \$1, and 12½ cents for each additional child. For a father and one child, \$1.04 a week; father with two children, \$1.21 per week; with three children, \$1.38 per week, with a charge of 16 cents extra for each additional child. In addition to this, board is provided for adults at 5 cents for breakfast, 8 cents for dinner, and 6 cents for supper, or 19 cents per day. Summing up these items, we find that a widow with three children can live very comfortably for \$3.38 per week, and a man with three children for \$3.75.

A further extension of the operations of this laudable system of government is now being carried out, by which the city will be given parliamentary power to expropriate property to provide sanitary dwellings for all the working classes. So excellent is the credit of the city that it is able to borrow all the money it needs at 2½ per cent, a rate of interest which will go far to make the venture a financial success; and it is reasonably expected that the social and sanitary results will fully compensate the city for the outlay. It may be mentioned here that many years ago the city established public wash houses where, for 4 cents an hour, a woman is allowed the use of hot and cold water wash-tubs, and may have the washed clothes machine-dried and mangled all within the hour. It is claimed that of all the vast number of operations of this kind undertaken by the city none has proved a failure, and what this means can be understood when it is said that the authorities have under their care city farms, city markets, dairies, libraries, scientific schools, and many other things of like character. Indeed, the city has realized in fifty different ways the reduction of the cost of service to the public which comes from the public ownership of lighting plants, street cars, waterworks, markets, and other public utilities. In conclusion it may be said that no clearer tribute to the success of the system can be paid than by the fact that the entire revenue of the city is derived from its public works and institu-

tions, and that the hours of service of the public employees have been shortened and their daily wage increased.

SETTLEMENT OF THE VACANT PUBLIC LANDS OF THE UNITED STATES.

The settlement of the middle and far West of the United States presents the most striking example in history of the rapid subjugation of a virgin country by an enterprising race. The records of ancient or medieval times fail to show a single instance in which a people has taken possession of the land so swiftly and covered it as if by magic with the evidences of an up-to-date civilization. Nor is it likely that such a development as that of the past thirty years will be repeated in any other quarter of the world. The great railroad which is under construction by the Russian government across Siberia is not likely to produce any such a transformation as followed the completion of our own transcontinental lines to the Pacific coast; and judging from what has already been accomplished in the civilization of Africa, it is likely that its development will be slow in comparison with that of our Western territories.

If we wish to trace the history of legislation on the subject of the disposal and settlement of public lands in the United States, we must go back to the earliest days of the republic. An ordinance was passed in 1787 which provided for the organization of the territory lying to the northwest of the Ohio, and declared that the new States should never interfere with the disposal of the soil by the United States. In an interesting article in the National Geographic Magazine, by Mr. Emory F. Best, assistant commissioner of the General Land Office, we are told that in all subsequent admissions of new States into the Union the absolute proprietary power and primary right of disposition of the soil has been uniformly reserved by solemn compact in conformity therewith. Cessions of territory to the United States were made upon the condition that the land should be held in trust for all the States, the original purpose being to create a fund for the redemption of the public debt.

The basis of the public land system is found in the plan submitted to Congress in 1790 by Mr. Hamilton, in which it was sought to raise revenue from the sale of the land. It provided for the disposal of the public domain at public offering, by private cash sales, and by the allowance of the preference right of purchase to actual settlers under the several pre-emption laws. These laws were at first temporary, being limited in their operation, until the general law of 1841, which continued in force until its repeal by the act of March 3, 1891.

The general policy of sales for revenue remained unchanged until the question of free homes for the people came to be agitated, and resulted in the homestead law of 1862. The homestead law provided that any citizen who is the head of a family, or who has arrived at the age of 21 years, may acquire title to 160 acres of land by residing upon, cultivating, and improving the tract for five years immediately preceding his final proof, free from all cost except the Land Office fees.

The homestead law was one of the most beneficent ever recorded in the statute books of a nation. Coming about the same time as the extensive grants of land in aid of the construction of the Pacific railroads, it proved to be a powerful factor in the building upon of the vast extent of country lying to the west of the Mississippi River. Thirty-five years ago the Indian roved over this country, much of which was known as the Great American Desert, and dwellers in the Eastern States only caught an occasional glimpse of its natural riches, when observant travelers returned with stories of its rich grass lands and endless ranges of forest-clad hills. How largely the settlers have availed themselves of the law is shown by the fact that up to the last fiscal year 508,936 homestead entries have been allowed, embracing an area of 67,618,451 acres.

Altogether, during the period under review, 247,000,000 acres have been sold for cash. In this total are included the homestead entries, which have realized about \$280,000,000. This item, with the grants to railroads and donations to States for educational purposes and internal improvements, includes the greatest portion of the public lands already disposed of by the government.

There remains some 600,000,000 acres of vacant public land, exclusive of Alaska, of which 100,000,000 acres only are favored with sufficient rainfall for the successful cultivation of crops. The title to the soil is in the United States, but the control of the water rests with the State. Mr. Best is of the opinion that unless these two elements are combined, the land is valueless, and he asks the question: "Are the laws which have operated so favorably in the disposal of the well watered and fertile lands of the Mississippi Valley adequate to the conditions that confront us in the arid West?" The act of March 3, 1877, authorizing the entry of 640 acres of desert land upon the condition of paying \$1.25 per acre and reclaiming the land by irrigation, which was designed to meet these conditions, has failed

to yield any commensurate results of the kind intended; for while the lands lying along the borders of the streams, which are capable of easy irrigation, have been taken up, the arid lands proper, or those that cannot be reclaimed by the individual efforts of the settler, are still lying neglected.

It is estimated that of the 500,000,000 acres of vacant lands within the arid region only 20 per cent can be brought under cultivation, and that this can only be done by good engineering treatment of the problem, and a careful use of the water that is brought in. The special committee appointed by the United States Senate in 1889 to investigate this subject, says: "The irrigable lands are limited in extent. The area of the arid region which can be irrigated is a small fraction of the entire region. This arises from the fact that all the waters that can be used are insufficient to serve all the possible irrigable lands. It therefore becomes necessary to select the lands to be redeemed. On the wisdom of this selection vast interests depend. It is possible to irrigate lands on the mountains and on the high plateaus, but if the water is used there it cannot be used below, and these elevated lands will not make the best homes for the people. The climate there is rigorous, and the variety of agricultural products that can be raised is limited, being chiefly hay and vegetables. To use the water on such lands is largely to waste it, and to drive agriculture into the mountains is to doom the people engaged therein to a dreary life in a subarctic climate. It is therefore manifestly to the interest of the greatest number of people that the agriculture of the arid lands should not be established in the mountain regions. The valleys and plains below are warm, salubrious, and rich, the variety of agricultural products is great, and if the waters are used on these lands, they will give support to a prosperous people."

It is argued from the above report that the vacant public lands should not be disposed of until they have been brought into an agricultural condition by irrigation, and it is suggested that the best way to accomplish this result would be to let the States control the waters within their respective borders. The right to use the water being under the absolute control of the State, it would, if it also controlled the land, be in a position to secure, by a judicious choice of the land to be irrigated, an economical and profitable use of the water. At present 76 per cent of the arid land is in the hands of the government. In Nevada 95 per cent of the area is vacant, and these lands contribute nothing to the revenues of the State, and therefore it is impossible for the State to undertake a system of irrigation itself. It would surely be good policy for the government to dispose of them to the State, so that they may become an available source of revenue. It is true the Carey act of August 19, 1894, authorizes the Secretary of the Interior to contract with any of the desert land States to donate to the States such lands as the States may cause to be irrigated, reclaimed, occupied, and cultivated by actual settlers; but it fails to give the State sufficient control over the lands to enable it to pledge them as security for their reclamation, and hence it cannot contract for the construction of works on the most favorable terms. The assistant commissioner argues with much reason that if the Carey law were so amended as to provide for the granting of the lands to the State upon application, leaving the State free to contract for their reclamation and to pledge the lands as security therefor, it would be of practical benefit, and under its provisions the State might be enabled to secure the reclamation of all the lands within its limits that could be utilized.

INTERESTING MARINE STATISTICS.

The merchant marine of the United States on June 30, 1896, comprised 22,908 vessels of 4,703,880 gross tons—a decrease of 330 vessels, but an increase of 68,000 tons over the previous year. Wooden sailing vessels numbered 16,244, of 2,310,819 gross tons. Iron and steel steamers numbered 880, of 1,004,113 gross tons. Vessels documented at the Atlantic and Gulf ports numbered 16,786, of 2,667,313 gross tons; at Pacific coast ports, 1,560, of 437,972 tons; on the great lakes, 2,333, of 1,324,068 tons; and on the Western rivers, 1,229 vessels, of 274,527 tons. Vessels registered for the foreign trade numbered 1,257, of 844,954 tons, of which 244 are steamers. Vessels built and documented during the year number 723, of 227,096 gross tons, or more than double the construction of the previous year. On the great lakes 117 vessels, of 108,782 tons, were built.—Report of Bureau of Navigation.

DEATH OF PROF. FRESSENIUS.

Prof. Carl Remigius Fresenius, the great chemist, died June 10, from a stroke of apoplexy. He was born in 1818, at Frankfort-on-the-Main, and was made professor of chemistry at the Institute of Wiesbaden. He founded a laboratory at Wiesbaden, which resulted in great developments, particularly of an industrial and agricultural nature. He was the author of several works on chemistry, the most famous being probably his "Qualitative Analysis" and his "Quantitative Analysis." These works have a world-wide reputation.

AN IMPROVED BICYCLE BRAKE.

The illustration represents a bicycle brake of such construction that the brake may be applied by the rider throwing his weight rearward on the saddle, the dotted lines, as shown in Fig. 1, indicating the movement of the saddle and brake shoe as the brake is applied, while Fig. 2 shows the brake shoe and its attach-



BORGFELDT'S BICYCLE BRAKE.

ing devices partly in section. The improvement has been patented by Heinrich G. Borgfeldt, 850-852 Broadway, Brooklyn, N. Y. The brake shoe is attached to a block connected by a forked link and collar with the king post, and the upwardly extending brake rod is connected with the rear portion of a horizontal saddle support extended through a sleeve on the upper end of a connecting post engaging the king post. The saddle support is pivoted to have a limited rocking movement in the sleeve, and as the center of gravity is normally forward of the rocking point, there is no danger of the rider accidentally setting the brake, which is effected by throwing the weight rearward on the saddle. The saddle support has a series of holes rearward of its pivotal point, for the adjustment of the brake rod to give more or less throw to the shoe, and the lower portion of the rod has notches, as indicated in Fig. 2, to permit of the higher or lower adjustment of the brake shoe, the preferred adjustment being such as will cause the shoe to be applied to the wheel slightly

made under the careful supervision of Mr. William J. Gray, who has given his affidavit as to the accuracy of the results as herewith published.

The accompanying diagram, in which the results are drawn to scale, was furnished to this office by Mr. Furness, and it certainly forms a very valuable and reliable contribution, which will be welcomed by architects and builders in general.

In carrying out the tests the specimens were cemented to identical blocks of sandstone, each of which weighed twenty-one pounds. The samples presented a surface six inches square, and the thickness of each sample was the same as that commonly used in the various floorings. In the diagram the upper figures represent the specimens attached to the blocks before being tested, the thickness of the specimen being shown to scale. Thus the interlocking rubber tile specimen was $\frac{3}{8}$ inch thick, the No. 1 Vermont marble was 1 inch thick, the Oregon pine $2\frac{3}{4}$ inches thick, and so on.

The samples were all placed face downward upon a horizontal iron rubbing wheel 10 feet in diameter, which was run for a space of one hour at a speed of 75 revolutions per minute. A suitable frame held the blocks loosely in place and prevented them from rotating with the wheel, care being taken to let the full weight of the blocks bear upon the wheel. The face of the wheel was freely supplied during the test with the best sharp rubbing sand and water.

The wear of the various flooring materials is shown in the lower line of diagrams, which represents the lower left hand corner of each specimen drawn on a half size scale. The diagonal shading shows the portion of the materials which remained intact, and the clear space beneath shows the amount that was worn away by the wheel.

The diagram is extremely valuable and we are informed by Mr. Furness that great care was taken to secure reliable results. It is full of surprises. By far the best showing was that made by the interlocking rubber tile, which only lost $\frac{1}{4}$ of an inch as the result of an hour's grinding. On the other hand, the marble mosaic collapsed altogether, the one inch strip being rubbed entirely away within fifteen minutes under a pressure of a little over half a pound to the square inch. The whole slab disappeared in thirty-five minutes under the same pressure.


Next to the rubber, the English earthen tile showed by far the best results, losing only $\frac{1}{8}$ of an inch in thickness; and of the stones, the granolithic made the best showing, losing $\frac{3}{8}$ of an inch, flagstone coming next, with $\frac{2}{5}$ of an inch wear. The marbles wore away very fast, No. 1 Vermont marble losing $\frac{3}{4}$ of an inch.

Their average resistance, indeed, was not as high as that of the woods.

One of the most curious results is shown in the action of the woods, where teak lost nearly double as much as the softer white pine, the wear being respectively $\frac{1}{8}$ and $\frac{1}{16}$ of an inch. Yellow pine showed the same wear as white pine, and the oak specimen lost the same amount as its great rival Oregon pine, which was reduced by $\frac{5}{8}$ of an inch.

A VALVE TESTING AND LOCKING DEVICE.

The illustration represents a simple testing and locking device for balanced valves of locomotives, enabling



SADLER'S VALVE TESTING AND LOCKING DEVICE.

the engineer to readily determine whether the valve on one or the other side of the engine is leaking without removing the outer plates or covers, and, when the engine is to be uncoupled on the road, to securely lock its balance valve. The improvement has been patented by James A. Sadler, Clarendon, Texas. Fig. 1 is a sectional view through the valve of a cylinder, the stop pin being in position, and Fig. 2 is a longitudinal section showing the stop pin in locking engagement with the valve. The valve casing is of the usual construction, and within it is the steam chest cover, the balance valve plate and the balance valve, the latter having in its top, at one side of the center, a release opening, and at a central point a V-shaped cavity. An exteriorly threaded sleeve is screwed into suitable openings in the steam chest cover and valve plate, the sleeve being interiorly threaded near its ends and being held in place by jam nuts. A test plug is normally screwed into the upper end of the sleeve, and by its




DIAGRAM SHOWING WEARING QUALITIES OF FLOORING MATERIALS.

above its axis, causing a wedge-like action between the tire and the shoe.


TESTS OF THE WEARING QUALITIES OF FLOORING MATERIALS.

At the suggestion of Mr. Frank Furness, the well known architect, of Philadelphia, an extremely valuable series of tests has been carried out to determine the relative durability of various flooring materials. The experiments were carried out on May 15, by Messrs. William Gray & Sons, who are the largest contractors for stone work in Philadelphia, and they were

removal the engineer may readily discover at what side of the engine any leakage occurs, as the leakage will pass up from beneath the balance valve through the release opening and thence out through the sleeve. To lock the valve, the reversing lever having been centrally placed and the valve centered, the test plug is removed and the stop pin screwed downward in the sleeve until its lower end firmly locks with the valve, as shown in both views. The sleeve will also be found useful for oiling the valve.

AN AUTOMATIC RAILWAY SWITCH.

A switch more especially designed for use on cable railways, but which may also be used in modified form with other street railways, is represented in the accompanying illustration, and has been patented by William Lickstrom, of No. 5 Manhattan Street, New York City. Figs. 1 and 2 are plan views of the switch



LICKSTROM'S AUTOMATIC RAILWAY SWITCH.

connecting a cable track and a track operated by horses or electricity, and Fig. 3 shows a modification adapted for use with railways of any kind, Fig. 4 representing a pivoted lever for throwing the switch and Fig. 5 a section of a special form of rail to be used, Fig. 6 showing one end of a car and its switch-operating lever. The switch point is connected by a link or rod to a bar movably retained by springs in a recess in a bell crank lever, from opposite arms of which extend rods connected at their other ends with bell crank levers pivoted close to one side of a cable conduit, the length of the rods being such that when an arm of one of the levers projects across the conduit slot the corresponding arm of the other lever lies alongside of the slot. In Fig. 1 the cable line is curved and in Fig. 2 it is straight, and a cable car coming to first the switch would be turned on the curve by the engagement of the grip with the lever arm extending across the conduit. As shown in Fig. 2, where the conditions are reversed, the car would be continued on the straight track. To hold the switch in either position to which it may be set, a rod or link connects one arm of the central bell crank lever to a pivoted guide rod under spring tension, as shown in Fig. 4, the spring resisting the throwing of the lever during the first part of its motion and assisting it during the latter part, thus acting to hold the switch in whatever position it may be placed. In the modified construction, for use with any kind of railway, a grooved guard rail is used, as shown in Fig. 5, the inner wall of the groove having a short longitudinal slot through which project the ends of the levers which in the other case extend over the conduit. The projecting ends of the levers are engaged and forced to one side by a lever extending down from the car platform, and thus made to move the switch point.

THE new mineral roebingite is described by H. W. Foote and S. L. Penfield, in the American Journal of Science. It is a new silicate from Franklin Furnace, N. J. It is remarkable for containing sulphate dioxide and lead.

THE "WINGED VICTORY" FOR THE BATTLESHIP MASSACHUSETTS.

We present an illustration of the handsome emblematic figure in bronze, known as "Winged Victory," which is the gift of the State of Massachusetts to the battleship of the same name.

In some respects this handsome present is quite unique. In the case of all the other ships of the new navy, which have received gifts from the cities, towns or States after which they have been named, the event of their going into commission has been signalized by the presentation of handsome services of silver. One of the richest presentations of this kind was that made by the city of San Francisco to the cruiser of that name, when the ship was so overwhelmed with kindness that it has become a problem as to just where the silver shall be stowed—at least so says the New York Sun.


The gift of silver service made to the Brooklyn is valued at \$10,000, and the other ships have received presents of approximately similar value. The Massachusetts Legislature, however, decided to depart from the time honored custom and present its namesake with an emblematic figure in bronze, accompanying the gift with a request that it should be placed in some prominent position on the battleship, and preferably on the forward turret.

The figure is life size and represents a very striking and spirited figure of a woman clad in a helmet and corselet; her wings spread abroad over the port holes of the turret, and with her arms pendent she holds a massive sword, upon which the single word "Victory" is engraved. The base of the figure contains the inscription "Gift of the Commonwealth of Massachusetts." Below this is engraved the motto "By duty done is honor won." The sculptor, Mr. Pratt, who is still a young man, was born in Norwich, Conn., in 1867. He passed through the Yale School of Fine Arts and afterward studied under Augustus St. Gaudens in New York and under Falguière in the Ecole des Beaux Arts, Paris. He designed two of the large groups in the peristyle at the World's Fair, and he has won the approbation of the critics by six seven-foot figures for the front entrance of the new Congressional Library at Washington, the large twelve-foot figure of Philosophy

inside of the dome, and a series of massive bass reliefs of the same building.

AN IMPROVED SWING.

The illustration represents a double swing of perfected construction, all steel but the seats, having a large canopy top or adjustable awning, and with mov-



BAUSMAN'S STEEL SWING.

able reclining seats which may be adjusted at any angle. It is one of several varieties of swings, embodying late improvements, manufactured by D. H. Bausman, of Bausman, Pa. The swing shown in the picture occupies a floor space of $7\frac{1}{2}$ by $5\frac{1}{2}$ feet, and is 10 feet high. These swings are painted in lemon and raw sienna tints, and are shipped in parts, adapted to be set up in a few minutes.

Insanity in Animals.

Insanity in the human subject is supposed by some to have no analogue in the lower animals, says Popular Science News. Yet many causes, according to Dr. Snelson, will lead to the permanent loss of self-control. Cattle driven from the country through a crowded town will often work themselves into a frenzy. Horses have gone mad on the battle field. At Balaklava an Arabian horse turned on its attendant as he was drawing water, seized him in his mouth, threw him down, and, kneeling on him, attacked him like an infuriated dog. He bit off another soldier's finger. An instance is related of a docile horse suddenly going mad on a hot day. Everything that came in its way it seized in its teeth and shook as a terrier does a rat. It raided the pigsties and threw the inmates one after another in the air, trampling on the bodies as they fell. Afterward it almost killed its own master, after maiming for life the farrier who was called in. This must have been a case of insanity, the cause of which is often to be found in congenital malformations of the bones of the head. A scientist of authority even goes so far as to prove by what appears to be incontestable evidence that cats, dogs, and monkeys have been observed to have delusions very similar to those of insane people.

A SPECIAL dispatch from Naples, dated June 4, says that Mount Vesuvius is in eruption. An area of 2,000 yards long by 500 wide is covered with lava, and it is dangerous to approach within 400 yards of the principal crater.



BRONZE FIGURE "WINGED VICTORY" ON FORWARD TURRET OF BATTLESHIP MASSACHUSETTS.

The Liquefaction of Fluorine.*

The physical properties of a large number of mineral and organic fluorine compounds led to the theoretical prediction that the liquefaction of fluorine, could only be accomplished at a very low temperature.

While the chlorides of boron and silicon are liquids at the ordinary temperature, the fluorides are gaseous, and well removed from their boiling points. The same difference is noticeable in their organic compounds, ethyl chloride boiling at 12°, ethyl fluoride at -32°, propyl chloride boiling at +45°, ethyl fluoride at -2°.

Similar observations have been previously made by Paterno and Oliveri, and by Vallach and Heusler. These facts can also be connected with the experiments of Gladstone on atomic refraction. Finally, although clearly a member of the chlorine group, fluorine in some of its properties also presents some analogies to oxygen. The whole of these observations appear to clearly establish that fluorine would only with difficulty be reduced to a liquid, and it has already been shown by one of us that at -95°, under ordinary pressure, it does not change its state.

In the new experiments that we now publish the fluorine was prepared by the electrolysis of potassium fluoride in solution in anhydrous hydrofluoric acid. The fluorine gas was freed from the vapors of hydrofluoric acid by passing it through a small platinum spiral cooled by a mixture of solid carbon dioxide and alcohol. Two platinum tubes filled with well dried sodium fluoride completed this purification. The liquefaction apparatus consisted of a small cylinder of thin glass, to the upper part of which was joined a platinum tube. The latter contained another small tube of the same metal. The gas to be liquefied arrived by the annular space, passed into the glass bulb, and passed out again by the inside tube. This apparatus was united to the tube which led in the fluorine.

In these experiments we have used liquid oxygen as the refrigerating substance. This oxygen was prepared by the methods described by one of us, and these researches have necessitated the employment of several liters of this liquid. The apparatus being cooled to the temperature of quietly boiling oxygen (-183°), the current of fluorine gas passed into the glass bulb without liquefying; but at this low temperature the fluorine had lost its chemical activity, and no longer attacked glass.

If now the pressure on the boiling oxygen be reduced, it is seen, as soon as rapid ebullition is produced, that a liquid trickles down the walls of the glass bulb, while no gas issues from the apparatus. At this moment the exit tube is closed with the finger to prevent the entrance of any air. Before long the glass bulb becomes filled with clear yellow liquid possessing great mobility. The color of this liquid recalls the tint of fluorine seen through a layer a meter thick. According to this experiment, fluorine becomes a liquid at about -185°. As soon as the little condensation apparatus is removed from the liquid oxygen, the temperature rises and the yellow liquid begins to boil, furnishing an abundant evolution of a gas which presents all the energetic reactions of fluorine.

We have taken advantage of these experiments to study some of the reactions of fluorine upon bodies maintained at very low temperatures. Silicon, boron, carbon, sulphur, phosphorus, and reduced iron, cooled in liquid oxygen, and then projected into an atmosphere of fluorine, do not become incandescent. At this low temperature, fluorine does not displace iodine from iodides. Its chemical energy, however, is still sufficiently great to decompose turpentine or benzine with production of flame even at -180°. It would seem that the powerful affinity of the fluorine for hydrogen is the last to disappear.

Finally, there is one other experiment that we ought to mention. When a current of fluorine gas is passed into liquid oxygen, there is rapidly produced a white flocculent deposit, which soon settles at the bottom of the vessel. If the mixture is shaken and poured on a filter, this precipitate is separated. It possesses the curious property of deflagrating violently as soon as the temperature rises. We are pursuing the study of this compound, as well as that of the liquefaction and solidification of fluorine, in which further experiments are required.

Have Bacteria Uses?

So much has been said about bacteria as causing and propagating disease that it is difficult to make the public regard these minute organisms as anything but mischief makers. Nevertheless, an American scientist, Prof. Conn, of Wesleyan University, and Simon C. Keith, of Boston, are demonstrating by experiments that they serve a useful purpose in nature, and contribute quite as much to one's pleasure as to one's discomfort. The outcome of their investigations, as stated in the New York Herald, is that it is to the development of bacteria in milk that the delicate flavor of butter and cheese is due, and that the reason some kinds of butter and cheese have better flavors than others is

that different species of bacteria have been developed. They have succeeded in isolating these different species.

In 1891 Prof. Vilhelm Storch, of Copenhagen, succeeded in isolating certain acid bacteria from ripened cream, and was able to cultivate and utilize them in the creameries for accomplishing an artificial ripening in the cream and consequent fermentation, in order that a more uniform and better flavored butter might be produced. But it was not until two years ago, when Prof. Conn discovered a germ for the ripening of cream which was radically different from any heretofore used, that the subject began to be studied in this country with the view of developing its commercial possibilities. Since then a laboratory has been fitted up in Boston by Orrin Douglass for the separation, cultivation and investigation of bacteria from a commercial standpoint. Mr. Douglass has associated with him Mr. Keith, who is a graduate of the Institute of Technology.

The Fastest Steam Yacht Afloat.

The steam yacht Ellide, in the course of her second speed trial over a measured course, has made a new record for the mile, doing the distance in one minute and thirty-eight seconds. This is at the rate of thirty-six and a half miles an hour, or within a mile and a quarter of the speed attained by the torpedo boat Turbinia on her famous trial.

This result in a boat only eighty feet long has been attained by a special design of hull, engines and boilers. The hull is of composite construction, the frames and scantling being of steel and the skin consisting of two thicknesses of mahogany. She is divided into watertight compartments by five steel bulkheads, and stability is further assured by providing a number of copper air tanks.

The boiler is of a special type water tube designed by Mr. Mosher for high speed vessels, and combines a large steam raising capacity with a minimum of weight. Special attention is paid to the draught and to the circulation of the water. The arrangements for the former are such that the gases pass through the length of the boiler twice before entering the uptake. The boiler is arranged in two sections, with a view to enabling one of them to be used if the other should be disabled by the bursting of a tube or other mishap.

If we except the engines which have been put into some of the recent airships, the engines of the Ellide are probably the lightest for their horse power that have ever been built. They are quadruple expansion, the cylinders being 9 inches, 13 inches, 18 inches, and 24 inches in diameter by 10 inches stroke. On the trial in question, with a boiler pressure of 250 pounds to the square inch, they ran at 650 revolutions a minute.

In the official trial which is shortly to be made the Ellide will be lightened by about 3,000 pounds of weight in the shape of the twenty guests which were on board at the time of the last trial. Her engines will also have worn down to a smoother bearing and it is quite possible that the 37½ miles an hour record of the Turbinia will be broken. Below is a list of the fastest yachts and torpedo boats in the world:

Name.	Description.	Miles an hour.
Turbinia* (English)	Torpedo boat	37½
Ellide (American)	Yacht	36½
Star (English)	Torpedo boat	36
Porter (American)	"	34
Peaseen (American)	Yacht	31 6 10
Norwood (American)	"	30
Yankee Doodle (American)	"	29 6-10
Vamoose (American)	"	25

*Driven by triple compound steam turbine.

Building Roads Too Fast.

The Canadian Magazine raises the question whether Canada has not gone too far in giving aid to railroad building. It appears that on June 30, last year, there were 16,091 miles of track laid in Canada, and the Dominion government has contributed to this building at the rate of \$9,369 per mile constructed, the Provincial government at the rate of \$1,847, and the municipalities at the rate of \$881 per mile. That is, for the net result of 16,091 miles, Canada has contributed, in round numbers, the very liberal sum of \$195,000,000. In Cape Colony the proportion of net revenue to capital cost of railways is 5.75 per cent; in India, 4.96; in South Australia, 3.13; in New South Wales, 3.46; in New Zealand, 2.73; in Queensland, 2.13; and in Canada, 1.57. In only one British colony is the proportion lower than in Canada, and that is Tasmania. The Magazine thinks that this seems to indicate that Canada is building railroads too fast. It further quotes the Dominion statistician as saying: "The cost of a railway, it has been said, should not be more than ten times its annual traffic—that is, that the annual traffic should be ten per cent of its capital cost. If this standard is applied to Canadian railways, their cost will be found to very far exceed the limit." In 1895 the gross receipts of the Canadian railroads amounted to only \$46,785,487, while the paid-up capital

was \$894,660,559, the percentage of traffic to cost being about five and one-quarter per cent instead of ten per cent.

Recent Patent and Trade Mark Decisions.

Ex parte Messinger (Commissioner's Decision), 78 O. G., 1903.

Time Within Which Reissues Should be Applied For.—Application for the reissue of a patent must be filed within two years or it will be considered abandoned under U. S. Rev. Stat., Sec. 4894.

Ex parte Musgrave & Nye (Commissioner's Decision), 78 O. G., 2046.

Non-patentability of a Process.—A process which employs low heat for a long time is not patentable over another which uses a high heat for a short time when the result is the same in both cases. Here the result was the partial distillation of coal. Therefore, the alleged invention of N. W. Musgrave and H. P. Nye has been held to be not patentable.

Wurts v. Herrington (Commissioner's Decision), 79 O. G., 335.

Proof of Reduction to Practice.—When complete reduction to practice amounts to two years' practical use, the effect of such reduction to practice must be established by evidence of the same degree as that required to establish two years' practical use. The fact that one device was operated only for a short time and then laid aside and not used until others began making and advertising the device raises the presumption that such former alleged use was experimental and that it amounted to nothing more than an abandoned experiment. The fact that the device was exhibited in a room ordinarily used to exhibit complete devices ready for the market is not proof in itself that such device was complete and on sale.

Wurts v. Herrington (Ct. of Ap., D. C.), 79 O. G., 337.

Reduction to Practice.—Reduction to practice by the junior party before the senior party does not require more than a preponderance of evidence. Certainly the evidence need not be so strong as to establish it beyond a reasonable doubt. But where a patent has been regularly issued, a strict rule as to the proof required to overcome the patent should prevail, at least where the evidence is suspicious.

Shelleberger v. Schnabel (Ct. of Ap., D. C.), 79 O. G., 339.

Dissolution of Interference.—When the commissioner in an interference case decides that there is no patentable invention in issue, the interference is thereby dissolved, for there cannot be an interference for a non-patentable thing.

Arnold v. Tyler (Ct. of Ap., D. C.), 79 O. G., 156.

Presumption as to Priority on Appeal.—The decision of the Patent Office as to the priority of invention must stand, unless the evidence shows beyond any reasonable doubt that the appellant was the true inventor.

Advice of Attorney.—The mistaken advice of an attorney, whereby longer delay resulted in the reduction to practice, is immaterial as against those who have been diligent.

Bruel v. Smith (Ct. of Ap., D. C.), 78 O. G., 1906.

Consistency of the Patent Office.—The Patent Office must be consistent and should not give so liberal construction to the terms of the issue as to enable it to include a structure which had previously been held to be patentably distinct therefrom. A device which differs from the terms of the issue in the particular feature which the office held once to have been sufficient to constitute a patentable distinction does not amount to a reduction to practice of the issue.

Duff Manufacturing Company v. Forgie (U. S. C. C., Pa.), 78 Fed., 626.

Infringement of Jacking Apparatus.—The Barrett patent, No. 455,993, for "lifting jacks" adapted to produce also horizontal motion, such improvement being based on the principle of a yielding, as distinguished from a rigid plate, has been construed and held infringed as to claims 1 and 6 by a jacking apparatus designed to produce horizontal circular motion to unscrew oil well tools, for, while they differ in form, the principle, design and functional purposes are substantially the same.

Clinton Wire Cloth Company v. Hendrick Manufacturing Company (U. S. C. C., Pa.), 78 Fed. Rep., 632.

Coal Screens.—The Phillips patent, No. 500,508, for revoluble coal screens providing the woven wire segments with protector plates connecting them together and covering their joints, the plates having inward extending projections to form tumblers, has been held void on the ground of showing mere mechanical skill.

Travers v. Hammock and Fly Net Company (U. S. C. C., Wis.), 78 Fed. Rep., 638.

Mechanical Process for Making Hammocks.—The Rood patent, No. 296,460, which describes a method of forming the ends of hammocks by drawing a cord straight through the end loops of the hammock body to form the converging strands which are gathered in a suspended loop or eye, has been held to cover a mere mechanical operation and, therefore, to be not a patentable process and void on its face.

* "On the Liquefaction of Fluorine," by H. Moissan and J. Dewar. Translated by Nature from Comptes Rendus of the Paris Academy of Sciences.

Correspondence.

Expansion of Rails in Hot Weather.

To the Editor of the SCIENTIFIC AMERICAN :

Before the art of laying railroad iron was brought to its present state of perfection, the main line of the Chicago, Burlington & Quincy Railroad west of Burlington, Iowa, was the scene of a most peculiar accident, due entirely to natural causes.

In 1868, that portion of the road described had never been ballasted, the wooden ties having been merely laid upon the loose dirt of the prairie, and not much trouble had been taken to tamp them. The rails had been laid upon these ties with their ends brought close up together.

James Roberts, a trusted engineer on the aboveroad, left Burlington at eleven o'clock on a hot day in August, 1868, a little late. The train was scheduled fast for those days, but he made up the time before he reached Fairfield, Iowa. As the train was speeding west, three miles from Fairfield, Engineer Roberts was amazed to see the track about a mile ahead of him suddenly rise from the roadbed, writhe and bend like a wounded snake, and then slowly settle down into a perfect curve at the side of the roadbed upon the level prairie. He reversed his engine and whistled for brakes and brought the train to a standstill. Crew and passengers went forward and inspected the phenomenon. Not one tie had broken loose from the rails, and the new position of the track at the side of the roadbed seemed secure and safe. At least a mile of track had changed its position, and, after examining the track for the entire distance, it was decided to go on, and the train, moving slowly, passed safely over. The circumstance was reported, and the engineers visited the scene without delay. They reported the occurrence to be due to expansion of the rails, which, having been placed with their ends touching each other, allowed no room for expansion. The weather being so hot, the expansion became a force greater than the weight or gravity of the rails and ties, and lifted them bodily until the longitudinal pressure was removed, when the whole structure settled to one side in the form of a curve. The greater length of the curve was identical with the length of the expansion.

This is the only instance of the kind ever reported, but they would be of frequent occurrence were not the matter of the expansion of the rails taken into account when rails are laid, and a suitable space left between the ends of the rails to accommodate their increased length in very hot weather. C. M. GINTHER.

Hagerstown, Ind.

[In stating that the above remarkable case is the only instance of the kind ever reported, we presume that our correspondent refers to the fact that the track lifted bodily from the roadbed before settling into a curve, and that the actual change of position occurred before a reliable eye witness. "Kinks" in a roadbed are not an uncommon occurrence on the unballasted roads of the western prairies, though the translation from a tangent to a curve usually occurs by the ties and rails being pushed bodily sideways over the ground. The remarkable feature in the occurrence above mentioned was the sudden rise of the track, when one would have expected it to be gradual. In all probability there was a slight vertical curve in the track at this point. The initial expansion would be accommodated by the elasticity of the rails; but as soon as the vertical component of the thrust of the rails exceeded the combined weight of ties and rail, the latter would commence to rise with an accelerated movement due to the enormous elastic thrust of the metal.—ED.]

The Heavens for July.

BY WILLIAM R. BROOKS, M.A., F.R.A.S.

THE SUN.

The sun's right ascension on July 1 is 6 h. 43 m. 43 s.; and its declination north 23 deg. 4 m. 24 s.

On July 31, the sun's right ascension is 8 h. 44 m. 27 s.; and its declination north, 18 deg. 6 m. 6 s.

On July 1, at 9 h., the sun is at its greatest distance from the earth.

On July 29 will occur an annular eclipse of the sun, visible throughout the United States as a partial eclipse, beginning, for Washington, at 8 h. 42 m., and ending at 11 h. 2 m. A. M. At Washington the greatest obscuration will be 7 digits. To all places north it will be less, and to places south the obscuration will be greater. The path of annulus, about 25 miles in width, extends from a point in the Pacific Ocean 20 deg. west of the west coast of Mexico, passes across Mexico, the northern edge of Cuba, just touches the northeastern point of South America, and ends in the mid-Atlantic Ocean, in 21 deg. south latitude.

MERCURY.

Mercury is morning star the first half of the month. It comes into superior conjunction with the sun on July 15, when it changes to evening star.

On July 4, at 12 h., Mercury is at its ascending node, on July 9 at perihelion, and on the 19th at its greatest heliocentric latitude north.

Mercury is in conjunction with the moon on July 30,

at 7 h. 38 m., when the planet will be 3 deg. 18 m. north of the moon.

The right ascension of Mercury on the first of the month is 5 h. 42 m. 59 s.; and its declination north, 22 deg. 53 m. 38 s.

On the last of the month its right ascension is 9 h. 49 m. 57 s.; and its declination north, 14 deg. 35 m. 49 s.

VENUS.

Venus is morning star, and a most beautiful object it is, as it heralds the approaching dawn. Venus reaches its greatest elongation west of the sun, 45 deg. 44 m., on July 7, at 11 h.

On July 17, at 4 h., Venus is at its greatest heliocentric latitude south.

On the 25th, at 2 h. 24 m., Venus will be in conjunction with the moon, when the planet will be 6 deg. 44 m. south of the moon.

On July 28, at 4 h., Venus will be in conjunction with Neptune, when Venus will be 1 deg. 21 m. south of Neptune.

On July 1, Venus rises at 1 h. 57 m. A. M., and crosses the meridian at 8 h. 52 m. A. M. On the last day of the month Venus rises at 1 h. 40 m., and crosses the meridian at 8 h. 59 m. A. M.

On July 15, the right ascension of Venus is 4 h. 30 m. 31 s., and its declination north 18 deg. 38 m. 51 s.

MARS.

Mars is evening star. In its rapid orbital motion among the stars it will be seen to overtake Regulus on July 5, when it will be within one degree of that well known star. Compare the ruddy light of the planet with the light of the star.

On July 25, at 10 h. A. M., Mars will be in conjunction with Jupiter, when Mars will be only seven minutes of arc south of Jupiter. This close approach may not be seen, but the planets will be found very near to each other on the evenings preceding and following the time of conjunction, forming an interesting celestial picture.

On July 3, at 8 h. 31 m., Mars is in conjunction with the moon, when the planet will be 3 deg. 21 m. north of the moon.

On July 1, Mars crosses the meridian at 3 h. 14 m., and sets at 10 h. 3 m. P. M. On July 31 Mars crosses the meridian at 2 h. 25 m. and sets at 8 h. 50 m. P. M. The right ascension of Mars on July 15 is 10 h. 25 m. 49 s.; and its declination north 10 deg. 56 m. 54 s.

JUPITER.

Jupiter is evening star, and is a very beautiful object in the western heavens soon after sunset. Telescopic work should be made at an early hour, while the planet is at a fair altitude.

Some of the phenomena of the satellites which occur at a sufficiently early hour for observation are here given.

On July 5, at 9 h. 22 m., the ingress of satellite I in transit will occur. On July 12, at 8 h. 14 m., satellite II will disappear by occultation. At 8 h. 57 m. satellite III will reappear from an eclipse.

On July 13, at 8 h. 35 m., satellite I will disappear by occultation. On July 14, at 8 h. 10 m., satellite I will egress from transit; and at 9 h. 4 m. the shadow of satellite I will pass off the disk of Jupiter.

On July 21, at 8 h. 28 m., satellite II will pass off the disk, and at 8 h. 41 m. the shadow of satellite I will enter in transit. On July 4, at 2 h. 24 m., there will be a conjunction of Jupiter and the moon, when the planet will be 4 deg. 10 m. north of the moon.

On the first of the month Jupiter crosses the meridian at 3 h. 53 m. and sets at 10 h. 28 m. P. M. On the last of the month Jupiter crosses the meridian at 2 h. 15 m., and sets at 8 h. 43 m. P. M.

The right ascension of Jupiter on the fifteenth of the month is 10 h. 42 m. 6 s.; and its declination north 9 deg. 23 m. 9 s.

SATURN.

Saturn is also evening star, and a very beautiful object in the southern heavens. Its wonderful ring system is quite widely opened out. The separation of the two bright rings may be well observed now with telescopes of very moderate aperture, under good atmospheric conditions.

On July 10, at 4 h. 10 m. A. M., Saturn is in conjunction with the moon, when the planet will be 7 deg. 18 m. north of the moon.

On July 28 Saturn is apparently stationary.

On the first of the month Saturn crosses the meridian at 8 h. 50 m. P. M., and sets at 1 h. 54 m. after midnight.

On the last of the month Saturn crosses the meridian at 6 h. 50 m. P. M. and sets at 11 h. 50 m. P. M.

The right ascension of Saturn on the fifteenth of the month is 15 h. 29 m. 39 s.; and its declination south 16 deg. 47 m. 12 s.

URANUS AND NEPTUNE.

Uranus is also in the southern evening heavens, about two degrees south of Saturn; its right ascension for the middle of the month being 15 h. 31 m. 18 s.; and its declination south 18 deg. 50 m. 46 s.

Neptune is in the morning sky, but too near the sun for observation.

Smith Observatory, Geneva, N. Y., June 21, 1897.

Science Notes.

Arrangements have been perfected for the establishment of zoological gardens in San Francisco.

It is said that an establishment for the manufacture of calcium carbide will be established at the new hydraulic power plant at Rhinefelden, Switzerland.

A fulgurite has been found in Rome, N. Y., which extends to a vertical height of forty-five feet. A fulgurite is a vitrified tube caused by lightning striking sand.

The International Submarine Telegraph Memorial Committee has granted "the Sir John Pender gold medal" to the Glasgow and West of Scotland Technical College. It is given annually to the best student, who at the same time obtains the college diploma in electrical engineering.

Natural Science has completed its tenth volume and will be hereafter published by J. M. Dent & Company, of London. It is remarkably well conducted and shows conclusively that science need not be dull. American science has been given more attention than in any other foreign journal. If for no other reason, it should have a good circulation in the United States.

In a recent number of the Comptes Rendus M. De Wateville gives a method of obtaining large and transparent crystals. The small crystal is so mounted that, while in a saturated solution, it can be continuously rotated on itself with a speed of several rotations a second. Potassium and ammonium alums, copper sulphide and sodium chlorate are said to give particularly fine results.

Until lately M. Moissan had not succeeded in preparing metallic titanium by pyro-electric reduction. He always obtained as the result of his experiments a hard, reddish-brown nitride of the metal, TiN₂. But recently he found that totally different results were obtained if a stronger current, and therefore a higher temperature, was used. By this method Moissan reduced titanium oxide in a mixture with carbon to a bead of metallic titanium surrounded by a coat of oxide. The metal contained about 2 to 6 per cent of carbon.—Umland's Wochenschrift.

The Grand Duke of Bavaria had, in 1893, detected the monogram of Albrecht Dürer and the date 1521 on a painting in the possession of Mr. F. Bürger, in Munich. Still many doubted the authenticity of the picture. The painting was lately examined by means of X rays. On the screen appeared, to the surprise of the Brothers Haller, at whose laboratory the experiment was conducted, and of all others present, a perfectly clear image of Christ in a crown of thorns, and also the monogram of Dürer and the date were clearly visible.—Electrotechnische Rundschau.

A remarkable glacier eruption occurred during the early part of the present year in the south of Iceland. A postman was crossing the sands of Sakeitara when he heard sounds proceeding from a glacier two miles in front of him and saw large masses of ice being hurled up into the air from the glacier. This was followed by a flood which began descending to the sands below. He promptly fled, and when he returned, about a week later, he saw a belt of ice waves extending from the glacier to the sea, a distance of at least twenty-five miles. The average breadth of this belt was about four miles. The height varied from seventy to ninety feet. On the other side of the ice field were newly formed torrents which sprang from the glaciers. No one was injured by the glacier eruption, which, it is thought, may have some connection with the severe earthquakes of last summer.

Edward Mellhenny has sailed from San Francisco for two years' scientific work in the northeastern part of Alaska and the basin of the Mackenzie River. He was the ornithologist on the Cook excursion, which was wrecked in Davis Straits. He has associated with him W. L. Snyder, of Beaver Dam, Wis.; Norman G. Buxton, of Johnstown, Pa. They will take supplies for two years' work in the Arctic regions, most of their food being in condensed form and adapted for transportation in sledges. Point Barrow will be made the headquarters and expeditions will be made from it to northeastern Alaska, which is comparatively unknown. The fauna and flora of the Alaska and Mackenzie regions will be carefully studied and specimens sent back to the coast, from which they will be shipped to the National Museum, at Washington, and to the museum of the University of Pennsylvania. Mr. Mellhenny hopes to make a careful exploration of the Romanzoff Mountains, in Alaska, which are said to be rich in fossil remains.

Bound Copies of Our Supplement Catalogue.

Owing to the request of librarians and many of our readers we have issued a special edition of our new SUPPLEMENT catalogue. It is printed on heavy paper and is bound in cloth. These catalogues will be supplied by mail at the nominal price of twenty-five cents. Public libraries will be furnished with a copy free of charge. The ordinary edition of the catalogue will be sent free to any of our readers as heretofore free of charge, and all should avail themselves of the opportunity of obtaining a valuable reference catalogue.

PARSEVAL'S KITE BALLOON.


The usual form of balloon adopted by all the leading armies of to-day is the pear-shaped, captive balloon, connected to earth by means of a steel rope. Now, while this shape is suitable enough for a freely traveling balloon, there are great drawbacks in its use for military purposes. In such cases what is required is steadiness in spite of the fixing rope and of the ordinary power of wind. It is found that a wind of ten meters per second is sufficient to make the ordinary pear-shaped balloon absolutely useless as a captive balloon. Now such a wind blows about one day out of three, so that the practical value of the aeronautic department of the army is greatly diminished. Still, so much importance remains attached to it, on account of its invaluable aid under favorable circumstances, that, in spite of all difficulties, balloons are always carried into maneuvers and into war.

As alluded to before, the great difficulty hitherto was that the balloon is pressed down to earth by the wind, the rope assuming a position inclined at an angle to the ground, and permitting such extravagant motions and lurches as to make all observation impossible.

A new form of gas reservoir has, however, been devised by the German Captain Parseval, which overcomes the difficulties explained above, while it enables its occupants to use to a full extent and under all circumstances the excellent opportunities that an ordinary balloon offers only in a dead calm. The principle on which the new balloon is built is the well-known action of a kite. Its shape is that of a cylinder with hemispherical ends. The volume of the reservoir is about 600 cubic meters. The car is attached to the back, and the rope to the front end. When the balloon is filled the front end rises under the upthrust exerted by the atmosphere, and the whole assumes such a position that its axis is inclined about 50 deg. to the horizontal, and is in a plane parallel to the direction of the wind. Consequently the wind strikes the lower surface and acts as it does on an ordinary kite. But, as simple as the principle of the thing looks, in practice the inventor found many difficulties of important and by no means trifling character which could not have been foreseen, and which experiment alone revealed. It was, for instance, found on trial that the wind crushed the balloon, curving its back into an undesirable shape, so that the tension there was considerably greater than below. To avoid this distortion an ingenious contrivance was added to the main body of the reservoir. On the lower surface the constructor attached another reservoir with funnel-shaped mouth; this catches the wind, and the air collected keeps the shape of the balloon constant by its counterpressure.

The mixing of the air thus admitted with the gas is avoided by placing a loose partition of plaited fabric between the two. The pressure required to keep the balloon in shape is thus automatically provided; for

the stronger the wind, the greater the tendency to curve, but the greater also the pressure in the wind reservoir. Moreover, another danger seemed imminent. In strong wind the balloon tossed a great deal, and there was even some fear of its capsizing. The solution of this difficulty was not an easy matter. It was found in the form of an air cushion, a sort of bag, attached to the back end of the lower surface, and serving as a rudder. The part of this turned to the wind has a similar

**TESTS OF THE PARSEVAL BALLOON.**

air pocket arrangement to that of the main part of the balloon for keeping its shape. Although this addition effected a mitigation of the evil, it was found necessary to take some further precautions, and the end was finally attained by attaching to the back, where the oscillations are greatest, an auxiliary balloon. This is ring shaped, the diameter of the inner circular opening being ten centimeters, and is connected to the main balloon by a rope 50 meters long. The external diameter of the ring is ten-sevenths of the diameter of the main balloon. Below this ring there is yet an attachment corresponding to the tail of a kite. The lower surface of the annular balloon, i. e., the one exposed to the wind, is perfectly smooth. This auxiliary balloon appears near the ground in one of the cuts.

These two steering contrivances produce a perfectly satisfactory stability, such as is enjoyed only in an absolute calm when using the ordinary balloon. The

kite balloon may be used in any wind, so long as the filling and the ascent are possible.

At Berlin the inhabitants often had opportunity to see the kite balloon ascend side by side with the spherical (pear-shaped) balloon, at the practicing grounds of the aeronautic division. It could clearly be seen that the kite balloon was still when its spherical companion was subject to considerable rolling. We are indebted to Prometheus for the above particulars.

The engravings were prepared from illustrations sent us by a correspondent in Germany.

An Egyptian Crocodile Mummy.


The varied and interesting collection of mummies, mummy cases and funereal furniture contained in the British Museum has recently been enriched by the acquisition of an enormous crocodile mummy, says Knowledge. This creature measures thirteen feet in length, and is well preserved, having a swarm of young crocodiles on its back. Dr. Pritchard, in his "Analysis of Egyptian Mythology," says: "The ancient Egyptians believed that the souls which emanated from the primitive source transmigrated through various bodies; nor was this change confined to emanations of a lower and secondary order. As the souls of men transmigrated through different shapes, so the higher order or spiritual agents could, as occasion required, assume any form they chose; and sometimes the gods appeared in the world under the disguise of bulls, lions, eagles or other creatures."

This accounts for the vast army of gods, representing so many species in the natural world, which abound in European museums. These were maintained in their day at great expense in sacred parks and lakes, and persons were appointed to nourish them with the greatest care; and when they died the same sacred rites were performed over their bodies and the same preparation was made for their interment as if they had been one of the highest functionaries of the state.

The famous fellow that has just been added to our national collection was discovered at Kom Ombos, in upper Egypt, a city where this creature was venerated as early as 2500 B. C., and where ruins still remain having paintings relating to the adoration of Sebek. At the south side of one temple the remains of a large pond have been found, which probably served to satisfy the amphibious instinct of this adorable monster. During the reign of Ptolemy Philadelphus, B. C. 330, the worship of the crocodile reached its highest point.

The method employed in making crocodile mummies seems to have varied with taste and means. While some are exquisitely bandaged, others (as in the case of our latest addition) were simply dipped in a solution of wax and pitch, which renders them perfectly hard, and by which the young progeny are securely fixed in the hollow parts of the back.

This is one of the finest specimens of a mummied crocodile that we have seen. It was presented to the British Museum by the Egyptian government.

**THE PARSEVAL KITE BALLOON FOR USE IN THE GERMAN ARMY.**

THE LAST OF THE YUKIAHS. BY ENOS BROWN.

At the time of the Spanish conquest of California the Indian population in the territory was known to have been very large. In Northern California alone it is estimated that over fifty thousand aborigines roamed in undisturbed security all over this fertile land. With the advent of the conquerors the Indians began to decline in numbers, owing to the cruel treatment of the Spaniards and the introduction of hitherto unknown diseases which were very fatal to them, so that when the State came into possession of the Americans, not one-half as many Indians remained in the country as existed a century before.

The destruction of the tribes progressed more rapidly even under American domination than under the Spaniards. The fatal vice of drink became more general among them and they succumbed to the new civilization. When the settlers of the country discovered how well the northern half of the State was adapted for stock raising, they appropriated the lands of the helpless Indians, and drove them back into regions less fertile. The Indians resented this hardship by killing the white man's cattle, and then vengeance, cruel, swift and strong, was visited upon the inferior race, and a war of extermination was waged. Thousands of Indians were cruelly massacred, and the war ended when there were no more to kill.

Sonoma County, one of the most fertile in the State, the present home of a most prosperous and thrifty people, carefully suppresses in its annals all mention of the early treatment of the Indians by its pioneer founders. Its groves were shambles where the Indians were tortured by fire and exterminated by the sword.

Certainly, no more worthless types of humanity ever existed than the California savages. They were only a step in advance of the Australian in intelligence and were not the equal of that lowest type of humanity in the ingenuity of their devices for trapping game. The original California Indian was an abject and bestial object. Neither male nor female was clothed, except in extreme weather, when their nakedness was protected in some degree by hides and skins. They ate the most repulsive reptiles, snakes, lizards and worms. Roasted grasshoppers were a delicacy only matched by a feast of tainted fish. They derived their name of "diggers" from the custom of digging into the ground for roots or game. Their sole object in living was to exist with as little trouble to themselves as possible, and they were so lazy that the laziest white who ever breathed was a monument of industry in comparison.

There still lives the remnant of this once numerous tribe at Hopland, Sonoma County, California. Only two or three hundred are left. There has been secured

to them a tract of worthless land upon which they have settled, and where they make a feeble pretense of raising vegetables and fruit. They own a little stock and are called civilized.

The church, out of its large charity, has sent them a missionary who has taught them agriculture, and has labored unceasingly to improve their condition and morals. They have a school where the youth are taught the rudiments of education and instruction given them in the common utilitarian arts. The women make good seamstresses and fair cooks, and both sexes,

plies them, but an Indian will barter everything he has for a bottle of whisky, and generally finds some unscrupulous dealer to supply him.

To this cause, and to diseases incident to civilization, the decimation of this remnant of the old Gallioneros or Yukiah Indians may be ascribed. Every year shows their number decreased, and a generation hence will find the last of the tribe awaiting his final call.

The World's Biggest Pump.

In a letter from Houghton, Michigan, to the Chicago

Record, the writer describes the Calumet and Hecla pump named the Michigan, which is a truly marvelous piece of mechanism. It can deliver 2,500,000 gallons of water every hour in the twenty-four without being crowded to its limit of capacity, and it will do the work with scarcely as much noise as is made by the operation of an old style sewing machine. Outside the doors of the great building which houses it no sound is heard from within, and, standing beside the monster, upon the brink of the pit connected with the lake from which the water is taken, almost the only sound heard is the noise of the suction, as with every stroke more than a thousand gallons are lifted.

Briefly, it is a triple expansion pumping engine with a capacity of 60,000,000 gallons, standing nearly fifty feet in height and requiring 1,500 horse power for its operation. It has been proved by actual tests that the nominal capacity can be easily maintained for an indefinite time without injury or strain, and that pushed to its full capacity the pump could handle approximately 75,000,000 gallons in twenty-four consecutive hours.

The duty of the pump is to furnish water for the great stamp mills of the Calumet and Hecla Company, which has twenty-two steam pumps in continuous operation, daily pulverizing 5,000 tons of conglomerate rock into sand so fine that it can be carried away by a stream of swiftly running water. The pump is housed in a special building near the shore of Torch Lake and below the

mills, and it forces a steady stream of water to the upper portions of the mill, where innumerable small jets play upon the great slime tables and jigs. Here the specific gravity of the fine particles of copper contained in the rock separate the mineral from worthless sand, and the size and force of the streams of water are so nicely regulated as to wash away the sand and yet carry with it the minimum of copper.

A BRONZE bust of Maria Mitchell has been unveiled in the Observatory at Vassar College. It was cast by the Gorham Manufacturing Company, from a plaster bust made in 1877.



THE YUKIAH INDIANS OF CALIFORNIA.



TYPICAL HUT OF THE ABORIGINES OF CALIFORNIA.

when in the chapel, are exceedingly devout. Some of the more ambitious have frame houses, but many prefer homes after the picturesque style of their forefathers, formed of saplings curved at the top and covered with straw.

These people have some virtues: hospitality, for instance. The women make baskets which are sometimes artistic, being ornamented with different colored straw, woven in angular figures and with feathers from gayly colored birds. The federal government, whose wards these Indians are, is doing all in its power to protect them from their most dangerous enemy, rum, but with indifferent success.

Heavy penalties are laid upon the trader who sup-

RECENTLY PATENTED INVENTIONS.

Engineering.

THROWING ENGINES OFF DEAD CENTERS.—James B. Rauch and Thomas Kennedy, Galena, Kansas. An apparatus devised by these inventors consists of a pivotally supported jointed arm carrying a shoe at its outer end, the shoe departing from the pivotal center as the sections are straightened, and then binding against the wheel rim. The arm may be connected by a lever with a pitman or other operating mechanism, and when the engine is on the dead center the shoe is put in binding contact with the wheel rim by straightening the arm, the further movement of which then carries the wheel off the center, the contact being broken and the friction shoe freed from the wheel when the arm comes in contact with a stop. The shoe section of the arm is adjustable lengthwise for adaptation to different sizes of wheels.

PIPE BOILER.—Alexander M. Lemke and Rowland Weston, Saginaw, Mich. According to this improvement two lengthwise water drums, mounted on suitable legs, are connected at their ends by vertical water legs with two upper separating drums, the latter being connected by pipes with each other and with a central steam drum at the top. Coils of pipe are arranged between the sets of water legs at the sides, the upper ends of the coils discharging into diagonally opposite drums, and the lower runs of the coils are at a suitable distance above the grate to form a fire box, the rear end of which is also closed by a coil of pipe. The construction is designed to insure perfect circulation and the quick generation of dry steam.

MOTOR.—Samter B. Battey, New York City. A fluid pressure and hydraulic motor, patented by this inventor, is designed to utilize the motive agent with the highest efficiency. A wheel has in its periphery conduits or buckets into which water under pressure is discharged from nozzles in a surrounding pipe to rotate the wheel. The surrounding pipe is connected with a vessel from which the water is forced out by a pressure pipe. From the motor casing the water flows to a tank within which is a vessel connected with the supply pipe for the motor, and a pressure pipe opening into the tank forces the water into the vessel, whereby the motor may be operated without waste or loss of water.

Electrical.

SECONDARY BATTERY PLATE.—William P. Patton, Jersey City, N. J. The rectangular body of this plate is hollow, but is intact at all its edges, and one or more thin metal partitions are held within the cavity of the plate by engagement at the edges, forming a light and strong plate with great surface for the formation of an active coating. The partitions are clamped at all the edges between two sections of a mould wherein the side walls and edges of the battery plate are cast into form from molten metal that passes through perforations in the partitions near their edges, whereby the cast sides of the battery plate are integrally joined. The construction affords great internal area for a battery plate of moderate dimensions, and when the active coating on the inner and exterior surfaces is formed by electrolysis a compact and powerful electric accumulator is thus afforded.

TELEPHONE TRANSMITTER.—Horace C. Alexander, Bonham, Texas. To transmit the greatest possible volume of sound without grating or rattling, the diaphragm and shell, according to this invention, are formed from one piece of metal, the diaphragm being secured to a block of insulating material to which is secured a carbon block attached to a metal plate. A vibrating nipple on the diaphragm extends into a cell formed in the carbon block, a granulated electrode surrounding the nipple in the cell, and a yielding material being placed between the inner end of the carbon block and the diaphragm.

LIGHTNING ARRESTER AND FUSE BLOCK.—Gustave X. Gast, New Orleans, La. An instrument having a multiple automatic fuse block, for automatically closing or restoring an electric circuit when broken by the fusion of the conducting wire by lightning or by a heavy current, has been devised by this inventor. The invention comprises more especially a shunt circuit of variable or graduated resistance through which the current is directed as a spring arm moves from one trip arm, when its fusible connection is broken, to the next, whose fusible connection is intact, so that a sudden shock is not thrown upon the second fusible connection, and it is enabled to resist and hold the spring arm.

ELECTRIC RAILWAY.—Henry M. Jones, Meriden, Conn. For electric roads where the current is carried in a conduit beneath the track rail, this inventor has devised a simple and inexpensive construction, with a light and strong device for normally closing the slot of the conduit and obviating danger of accident from contact with live wires. The conduit extends longitudinally between the rails, and has a slot normally closed by a tubular cable made of spirally wound wire adapted to open or stretch at points lifted from the slot, a device being carried by the car for raising the cable from the slot. The cable is supported in the conduit by flanges which also serve as tracks upon which travel the rollers of the cable lifter of the car.

Bicycles, Etc.

TIRE.—Charles H. Paschke, Chicago, Ill. The rim is of the usual construction, according to this invention, and is perforated by bolts connected by pairs of chains with an outer rim, the latter being made of a series of four or more wires spaced apart and transversely connected by cross bars to form a slightly oval tread, the cross bars being arranged near the connections of the chains with the outer wires. The end pieces for the wires are connected together by screw rods, by screwing up which the wires may be tightened according to the degree of elasticity desired.

CHANGEABLE GEAR.—Thomas S. Drummond, Punxsutawney, Pa. According to this invention, the drive shaft has a gear wheel at each end, the gear wheels at opposite sides of the wheel being of

different sizes, and being encircled by runways adapted to receive balls, and each runway having openings for the passage of a gear wheel into and out of engagement with the balls, the gear wheel at either side of the wheel being brought into engagement by the movement of a lever. By this means the rider can quickly change from a high to a low gear, and vice versa, according to the nature of the road upon which he is traveling. The construction is designed to be simple and inexpensive, admitting of the gear being readily repaired in case of damage.

Mechanical.

HONING MACHINE.—Terence F. Curley, Brooklyn, N. Y. For sharpening the blades of razors and other tools, this inventor has devised a simple, easily operated machine which will hold the cutting edge of the blade in proper position to the grinding stone, drawing the blade over the stone and reversing its position automatically. The machine has a reciprocating carriage in which is journaled a blade holder adapted to be turned at the end of the stroke of the carriage to reverse the position of the blade. The operator can give a short stroke to the carriage, to avoid reversing the position of the tool, the latter being then moved forward and backward over the stone with one face only in engagement with the stone.

Miscellaneous.

NOZZLE.—Charles A. Snider, Columbus, Ga. To facilitate the discharge of a large or small stream of water, according to the condition of a fire, or to throw a full or half circle spray of water, this invention provides an easily manipulated nozzle which may be changed to graduate the outlet opening. The discharge pipe has a spherical end on which rotates a cap at an oblique angle to the middle line of the pipe, and having a series of graduated openings adapted to register with the mouth of the pipe.

POLE TIP.—Arthur F. M. Brooke, Calgary, Alberta, Canada. A pole tip designed to prevent a neck yoke from being accidentally discharged from the pole consists, according to this invention, of a hollow casing on the outer end of the pole, having an angular flange adapted to be engaged by the ring of the neck yoke, which prevents the latter from sliding further back on the pole. On the lower side of the tip is a slot where a catch or latch is pivoted, adapted to catch the ring and hold it from coming off.

SEAL FOR PACKAGES.—Lewis F. Musson, Winona, Minn. A plastic seal, according to this invention, has pieces or particles of paper fabric compressed therein, of predetermined design and delineations and in predetermined order, to be used in connection with a wax seal produced upon a letter or package, so that practically no two seals will be alike. For verifying the genuineness of the seal, it is provided that, while the wax is still warm, certain pieces of particles are removed from the sealing strip and sent to the purposed destination of the letter or package, that the receiver may compare them with the designs on the seal.

SIGN.—William N. Ley, Wilbur, Washington. This sign has slat sections connected by loops, the rocking of one of the slats reversing the entire series and presenting their rear faces to the front, while another movement restores the slats to their normal position. As the change takes place the effect is as if the uppermost slat turned moved along the line of slats to the bottom. The invention also provides for constantly rocking the uppermost slat by a motor, producing automatically the continued changes.

MATTRESS.—John Hoffman, New Ulm, Minn. A mattress designed to be inflated by air is provided by this invention, together with a covering which may be removed and cleaned without difficulty, the entire construction precluding the harboring of insects. An inflatable sack fits within a frame adapted to fit in a bedstead, the sack resting on webbing. The covering may be of ticking, with an open end closed by lacings. The construction is simple and inexpensive.

COOKING APPARATUS.—William E. Baxter, Frankfort, Ky. This is a portable apparatus for use in camping out, and is designed to be readily packed in small space. When set up the oven adjoins the stove, and the latter may be used for heating purposes alone or for cooking other than baking. The oven is adapted to receive several pans, which form part of the outfit. When folded for transportation, the parts may be secured by a lock and safely carried as freight or baggage.

STOVE.—Ernest C. Cole, Council Bluffs, Iowa. This stove has a top draught tube supported by a universal joint, to give it a swinging motion and prevent its being in the way in putting in fuel, or being clogged by the fuel, also enabling the draught to be pointed at any desired angle. The air supplied by this tube is heated in its downward flow, affording a hot blast to be thrown directly on the fire in a manner designed to afford a perfect combustion of the fuel.

GAME APPARATUS.—William P. Wetzel, Allegheny, Pa. According to this invention, a box has parallel partitions extending from opposite edges nearly across, while arched strips between pairs of partitions have holes in their central portions, the strips being of different colors corresponding with different colored marbles with which the game is played. The marbles are run back and forth over the strips, the object being to place the different marbles in the holes or depressions of the strips belonging to their several colors.

GAME APPARATUS.—Reinhold F. de Grain, Washington, D. C. In a suitable casing, according to this invention, is a series of disks carrying numbers or symbols and fixed to an easily revolvable spindle, the revolving mechanism rotating or stopping them all separately or together for the registering of the symbols with reading points. As the operator pushes a rod in one or the other direction it causes the shaft to turn until coming to a stop by gravity, when the characters show through sight openings, exhibiting the characters to three sides of the box. The characters are preferably ordinary dice spots.

FLUID PRESSURE REGULATOR.—Peter Albertine, Jr., Carlstadt, N. J. This is an improved gas regulator which admits of being coupled to various supply and service pipes. It consists of a casing having inlet and outlet, and an annular chamber for containing a liquid into which dips the lower edge of a float carrying a valve stem whose valve moves toward and from a seat in the casing, the seat being arranged between the inlet and outlet. A guide on the stem engages guide-ways in the casing, the guide receiving weights to increase or diminish the weight of the float.

FIRE ESCAPE.—Daniel Cronin, Mannington, West Va. A drum carrying a wire or rope adapted for attachment to a window has at its ends wheels for brake straps, and is journaled in a frame from which drops a hanger arm supporting a belt or seat strap. Brake straps are secured to an attached brake setting frame of novel construction, the handle bar of which is grasped by a person seated in the strap, whereby the brake may be applied with the desired force to regulate the speed of descent.

PURIFYING WATER BY EBULLITION.—Alfred Dervaux, Brussels, Belgium. An apparatus more especially devised to free water from carbonate of lime has been devised by this inventor, in which a descending column of water is heated to the boiling point by introducing steam at the bottom of the column and then subjecting the steam escaping to a spray or sheet of cold water, forming a vacuum above the column of water and at the same time heating the spray, whereby steam is drawn through the water by suction, and the water is thoroughly boiled and forcibly agitated.

HUNTING APPARATUS.—Benedict Ott, La Crosse, Wis. To facilitate forcing wolves, foxes, rabbits, etc., out of their subterranean holes or burrows, this inventor has patented a novel device, comprising a stiffly flexible cable, made of tubing or wire rope, and with a close or compact exterior, having a rotary pilot bulb at one end and a rotating crank at its other end, the bulb being hollow and having ventilating holes to receive cotton waste or other material saturated with some freely burning substance. The cable has sufficient rigidity to enable it to be forced into a burrow and be rotated by the crank, it being designed to force or smoke out the animal.

INSECT TRAP.—Edward G. Lewis, St. Louis, Mo. A superior fly trap is afforded by this invention, one which may be folded to occupy but little space, as it is made of cardboard or a paper blank to be set up in box form. The meeting edges are separately engaged and an integral top is orificed and is scored from the orifice toward the angles of the body, the orificed portion being depressed when the trap is set up. There is a light orifice and an insect inlet orifice, the two orifices being widely separated.

Designs.

SPOON.—Vincent P. Tommins, Hoboken, N. J. The bowl of this spoon has a representation of the Grant tomb at Riverside Park, on the handle is a flag and eagle, and its wider portion has a foliate wreath margin.

GAME BOARD.—James A. Bush, Port Gibson, Miss. This game board affords a puzzle, with endless inclosures or channels contracted or curved inward toward each other and merging into broad rounding ends, the inclosures communicating with each other at points out of registry.

SPOON HANDLE.—William A. Jameson, Niagara Falls, N. Y. The front and back face of this handle are of violin shaped outline, with scroll ornaments at the sides of the widest portions and beadlike ornaments at the sides of the narrow portion, extending from the bowl to the scroll.

NOTE.—Copies of any of the above patents will be furnished by Munn & Co. for 10 cents each. Please send name of the patentee, title of invention, and date of this paper.

NEW BOOKS, ETC.

DER SCHORNSTEINBAU. Von Gustav Lang. Mit über 120 Abbildungen im Text und 2 Tafeln. Hannover: Helwing'sche Verlags-Buchhandlung. 1896. Pp. 186.

To those who read German and are interested in the building of chimneys, Professor Lang's work on chimney building will be most useful, touching, as it does, upon the many problems of construction arising in that branch of chimney building.

STEAM HEATING DATA. By William J. Baldwin, Expert in Heating and Ventilation. Published by the Author. Nos. 106 and 108 Beekman Street, New York. Pp. 28. Price 50 cents.

THE BRAVEST OF THEM ALL. By J. Selwin Tait, author of "Who is the Man?" etc. New York: The Eskdale Press. Pp. 68. Price \$1.

This little work may figure as a prolonged Æsop's fable. Rudyard Kipling, in his "Jungle Book," has made animals popular, and here we have a contribution in the same field of literature in an attractive form and one which will meet with a warm reception from many a young reader.

REAGENTS AND REACTIONS KNOWN BY THE NAMES OF THEIR AUTHORS. Based on the Original Collection by A. Schneider. Revised and Enlarged by Dr. Julius Altschul. Translated from the German by Richard Fischer. Milwaukee, Wis.: Pharmaceutical Review Publishing Company. 1897. Pp. 82. Price 50 cents.

This pamphlet is very attractive from its interesting subject and from its reasonable approach to completeness. In its pages we find many an old friend, such as Fehling's solution, Herapath's quinine tests, and many others which might be cited as examples of the author's work. It is not, however, restricted to reagents, for we

find tests for zinc given and many others. It is published in pamphlet form, and we cannot imagine that any working chemist would be content to dispense with so useful and valuable a work.

CALIFORNIA GAME "MARKED DOWN." Scenic Mountain Woodland Covers and Tide March Resorts for Game; Lakes and Streams for Trout, and the Generous Pacific for all Desirable Marine Contributions to Sporting Life. Illustrated. San Francisco, Cal.: Passenger Department, Southern Pacific Company. 1896. Pp. 64.

POCKET MANUAL OF READY REFERENCE. For the use of Copy Editors, Proof Readers, Compositors, Typewriters, Copyists, Telegraphers, Students of Law, Newspaper Reporters, etc. Containing a Complete Vocabulary for Double Words from Webster's International Dictionary; over Five Hundred Latin and French Words, Legal Phrases and Colloquial Expressions, with their Definitions; Alphabetical List of Contractions and Abbreviations commonly met with in Writing and Printing; Complete List of County Names in the United States arranged alphabetically by States; Declaration of Independence, with the Names of the Signers; Constitution of the United States, with Amendments and Dates of Ratification; together with a Collection of Miscellaneous Information Handy at all Times for Quick and Reliable Reference. Compiled and arranged by P. J. Haltigan. New York: Excelsior Publishing House. Pp. 160. Price 50 cents.

We have cited at length the somewhat full title page of this useful little work, which will answer instead of a review as showing what it contains. It is nicely bound and well indexed.

A SYSTEMATIC TREATISE ON ELECTRICAL MEASUREMENTS. By Herschel C. Parker. New York: Spon & Chamberlain, 12 Cortlandt Street. London: E. & F. N. Spon, Limited, 125 Strand. 1897. Pp. vi, 120. Price \$1.

This work, quite careful in its construction and rather well carried out, is largely a reproduction of a series of articles which have appeared in an electrical monthly. To a certain extent it shows that the articles were of this origin, and the author apologizes for it on that basis. We hardly think it requires apology, and think it will be an acceptable addition to a practical man's electrical library.

A NEW DAIRY INDUSTRY. Preparation and Sale of Artificial Mothers' Milk, "Normal Infants' Milk." By James Fred. Sarg, Black Forest Farm, Kempville, Va. Norfolk: W. T. Barron & Company, Printers. 1896. Pp. 162.

The new dairy industry may be defined to be the application of every precaution in the direction of cleanliness. This little work, devoted more especially to the providing of milk for the feeding of infants, is an excellent plea for cleanliness in the barn, and the author certainly seems, in his plea for small establishments, to lay an excellent ground for cleanliness.

THE RAILWAY BUILDER. A Handbook for Estimating the Cost of American Railway Construction and Equipment. By William Jasper Nicolls. Fifth edition, revised and enlarged. Philadelphia: J. B. Lippincott Company. London: 6 Henrietta Street, Covent Garden. 1897. Pp. 283. Price \$2.

This little work, with an excellent index, really attempts to cover, in less than 300 small pages, the entire subject of building railways. The author evidently realizes that he has attempted rather a herculean task, but we believe that this book will be useful for practical railroad men, to give them assistance in estimating the probable cost of construction and equipment of railways. So many works of this kind are devoted to English construction that we are glad to see the American field invaded.

EASY LESSONS IN MECHANICAL DRAWING AND MACHINE DESIGN. By J. G. A. Meyer.

The fourth number of this excellent work on draughting room practice is now out. It holds good its first promise, and is largely illustrated with figures of the draughtsman's methods, with formulas worked out in a manner that is a reminder to the regular draughtsman and a teacher to the amateur. The work is to be finished in twenty-four parts, at 50 cents each, at which price we mail the parts as issued.

BUILDING EDITION OF THE SCIENTIFIC AMERICAN.

We take pleasure in informing our readers that the semi-annual volume of the Building Edition of the SCIENTIFIC AMERICAN is now on sale. It is tastefully bound in leatherette covers and is sent by mail on receipt of \$2. It contains most charming half-tone engravings of picturesque country houses, and the views are accompanied by floor plans, and interior views are also given. In addition to this most prominent feature of the Building Edition descriptions of large public buildings are given, as St. Luke's Hospital; the new Massachusetts State House with its superb library; the Library of Columbia University, and other architectural works. One of the most interesting engravings in the volume is Helicon Hall, Englewood, N. J., where boys are educated esthetically with the aid of music, flowers, and works of art. Each monthly number of the Building Edition has a finely executed plate in colors which forms the cover, consequently there are six such plates in the book. The present volume surpasses in interest any of its predecessors.

Business and Personal.

The charge for insertion under this head is One Dollar a line for each insertion; about eight words to a line. Advertisements must be received at publication office as early as Thursday morning to appear in the following week's issue.

Marine Iron Works. Chicago. Catalogue free.
For logging engines. J. S. Mundy, Newark, N. J.
"U. S." Metal Polish. Indianapolis. Samples free.
Yankee Notions. Waterbury Button Co., Waterbury, Ct.
Handle & Spoke Mch'y. Ober Lathe Co., Chagrin Falls, O.
Order pattern letters & figures from the largest variety. H. W. Knight & Son, Seneca Falls, N. Y., drawer 1115.
Improved Bicycle Machinery of every description. The Garvin Machine Co., Spring and Varick Sts., N. Y.
Concrete Houses—cheaper than brick, superior to stone. "Ransome," 757 Monadnock Block, Chicago.
The celebrated "Hornsbly-Akroyd" Patent Safety Oil Engine is built by the De La Vergne Refrigerating Machine Company. Foot of East 138th Street, New York.

The best book for electricians and beginners in electricity is "Experimental Science," by Geo. M. Hopkins. By mail, \$4. Munn & Co., publishers, 361 Broadway, N. Y.

Machinery manufacturers, attention! Concrete and mortar mixing mills. Exclusive rights for sale. "Ransome," 757 Monadnock Block, Chicago.

Send for new and complete catalogue of Scientific and other Books for sale by Munn & Co., 361 Broadway, New York. Free on application.

Notes & Queries

HINTS TO CORRESPONDENTS.

Names and Address must accompany all letters or no attention will be paid thereto. This is for our information and not for publication.
References to former articles or answers should give date of paper and page or number of question.
Inquiries not answered in reasonable time should be repeated; correspondents will bear in mind that some answers require not a little research, and though we endeavor to reply to all either by letter or in this department, each must take his turn.
Buyers wishing to purchase any article not advertised in our columns will be furnished with addresses of houses manufacturing or carrying the same.
Special Written Information on matters of personal rather than general interest cannot be expected without remuneration.
Scientific American Supplements referred to may be had at the office. Price 10 cents each.
Books referred to promptly supplied on receipt of price.
Minerals sent for examination should be distinctly marked or labeled.

(7168) E. T. asks: Why do you have to put in a magic lantern slide upside down to make it show right on the canvas? A. Because the rays cross in the lantern.

(7169) F. L. C. says: Please give me, through Notes and Queries, a recipe for a hard cement for bicycle tires. A. For bicycle tire cement, mix together two parts pitch and one part of gutta percha. Melt over a water bath and use hot.

(7170) E. Y. M. asks: 1. What is the best way of cutting down a 500 volt current for charging storage batteries where a meter is used? A. The best way of charging cells from a 500 volt circuit is to use the current in a motor dynamo built to give the current required, perhaps 10 amperes at 25 volts per cell. 2. Will a rheostat made of German silver wire consume any of the current? A. The rheostat affects current by its resistance, according to Ohm's law—current=volts divided by ohms. 3. How much and what size German silver wire should be used to reduce current to proper voltage for charging the storage cells? A. It is not economical nor feasible to reduce a 500 volt current for charging cells with a wire resistance of any kind. 4. Would iron wire do as well? A. Iron has about one-half the resistance of German silver, and, therefore, about twice as much, size for size, would be required for any resistance. 5. How many watts will be consumed in charging a 150 ampere hour cell? A. Two and one-half volts are required to charge a storage cell; hence $2.5 \times 150 = 375$ watt hours. 6. To what voltage should the current be reduced? A. $2.5 \times$ the number of cells in series.

(7171) L. C. T. says: Please send me a recipe for removing freckles from the skin. One that is not injurious, if such a thing is possible. A. Under the empirical title of "Albadermine," a process of removing tan and the milder variety of freckles, a foreign surgeon has devised the following:

Solution A.

Potass. iodid. dr. ii.
Iodine pur. gr. vi.
Glycerine dr. iii.
Infus. rose. oz. iv.

Dissolve the iodide of potassium in a small quantity of the infusion and a drachm of the glycerine; with this fluid moisten the iodine in a glass of water and rub it down, gradually adding more liquid until complete solution has been obtained; then stir in the remainder of the ingredients, and bottle the mixture.

Solution B.

Sodæ hyposulph. thiosulphate. oz. iss.
Aqua rosæ exot. pt. i.
Dissolve and filter.

With a small camel's hair pencil or piece of fine sponge apply a little of "Albadermine A" to the tanned or freckled surface, until a slight but tolerably uniform brownish yellow skin has been produced. At the expiration of fifteen or twenty minutes moisten a piece of cambric, lint or soft rag with "B," and lay it upon the affected part, removing, squeezing away the liquid, soaking it afresh, and again applying until the iodine stain has disappeared. Repeat the entire process thrice daily, but diminish the frequency of the application if tenderness be produced. In the course of three to four days to as many weeks the freckles will either have disappeared entirely or their intensity will be greatly diminished. "Summer freckles" yield very speedily to this treatment.

Advertisements.

ORDINARY RATES.

Inside Page, each insertion -- 75 cents a line
Back Page, each insertion ---- \$1.00 a line
For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may be advertised at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

WOOD or METAL WORKERS
without steam power can save time and money by using our
Foot and Hand Power Machinery
SEND FOR CATALOGUES—
A—Wood-working Machinery.
B—Lathes, etc.
SENECA FALLS MFG. COMPANY,
695 Water St., Seneca Falls, N. Y.

DRY BATTERIES.—A PAPER BY L. K. Bohm, treating of open circuit batteries, historical dry batteries, modern dry batteries, Hellesen's battery, Bryan's battery, Koller's battery, and the efficiency of dry cells. With three illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1001. Price 10 cents. To be had at this office and from all news-dealers.

POWER & FOOT LATHES. SHAPERS, PLANERS, DRILLS, MACHINE SHOP OUTFITS, TOOLS AND SUPPLIES. CATALOGUE FREE. **SEBASTIAN LATHE CO.** 120 CULVERT ST. CINCINNATI, O.

THE HALL
BRASS PIPE WRENCH.
A PERFECT TOOL WITH FRICTION GRIP.
Bushings for all sizes and shapes. Highly polished pipes made up without scar or injury.
For Circulars and Prices
WALWORTH MFG. CO., 16 Oliver St., BOSTON, MASS.

BARNES' New Friction Disk Drill.
FOR LIGHT WORK.
Has these Great Advantages:
The speed can be instantly changed from 0 to 1600 without stopping or shifting belts. Power applied can be graduated to drive, with equal safety, the smallest or largest drills within its range—a wonderful economy in time and great saving in drill breakage. Send for catalogue.
W. F. & JNO. BARNES CO.,
1999 Ruby St., - Rockford, Ill.

Spinning and Twister Ring Blanks
BILLINGS' IMPROVED KEY RING
Patent applied for.
Sent, postage paid, to any address for 10 cents in stamps.
The Billings & Spencer Co., Drawer 3, Hartford, Conn.

Tools For All Trades

You can't even think of a Tool that isn't mentioned in our 1897 Tool Catalogue. Every Metal Worker, every person interested in Machinery or Machinery Supplies, needs it in his business. It contains 710 pages, 106x7 1/2 inches, and is a complete Tool Encyclopedia. Handsomely bound in cloth, express paid on receipt of \$1.00. Money paid for book will be refunded with first order amounting to \$10.00 or over.
MONTGOMERY & CO.
MAKERS AND JOBBERS IN FINE TOOLS,
105 Fulton Street, New York City.

If You Are a Manufacturer of Sheet Metal articles, you are naturally interested in New Machinery, and it will cost only a 2c. stamp to request us to forward any of the following illustrated circulars:

- NO. 1. ROLLING MILL MACHINERY FOR SHEET METAL
 - NO. 2. TUBE AND WIRE MILL MACHINERY
 - NO. 3. SILVERWARE AND COINING MACHINERY
 - NO. 4. HARDWARE AND BRASS GOODS MACHINERY
 - NO. 5. BICYCLE MACHINERY
- ADDRESS
THE WATERBURY FARREL FOUNDRY & MACHINE CO.
WATERBURY, CONN.

"Queen" Builder's Transit
\$100
IMPROVED TRANSITS AND LEVELS
Graduated entirely on our large dividing engines. Special award at World's Fair. All kinds of Engineering, Surveying and Drafting Instruments and Materials. 220 p. Illustrated Catalogue mailed free only if this ad. is mentioned.
QUEEN & CO., Inc.,
1011 Chestnut St., Philadelphia

TRANSITS AND LEVELING INSTRUMENTS.
PLUMBERS' IRON LEVEL With Double Plumb.
Special device giving rise and fall of all piping. Price \$2.25. Size 12 inch. For book on the level
C. F. RICHARDSON & SON,
P. O. Box 977, ATHOL, MASS., U. S. A.

THE HARRINGTON & KING PERFORMING CO.
THE LARGEST MANUFACTURERS OF PERFORATED SHEET METAL IN THE WORLD.
IRON, STEEL, BRASS, TIN, ZINC, ALUMINUM, BRONZE, etc., PERFORATED IN ANY THICKNESS OF METAL. ANY SHAPE & SIZE OF HOLE. FANCY DESIGNS PERFORATED. SEND WORD WHAT YOU WANT. WE'LL DO THE WORK PROMPTLY.
CHICAGO, ILL. U.S.A.
225 NORTH UNION ST.

INDEX OF INVENTIONS

For which Letters Patent of the United States were Granted

JUNE 22, 1897,

AND EACH BEARING THAT DATE.

[See note at end of list about copies of these patents.]

Advertising device, Lawrence & Hays.....	585,109
Air compressing apparatus, I. T. Dyer.....	585,090
Alarm. See Burglar alarm. Door lock alarm.....	585,045
Animal trap, self-set, C. T. Pelton.....	584,968
Ashes, etc., apparatus for elevating or conveying, J. M. Taylor.....	585,032
Astronomical apparatus, G. E. Henderson.....	584,770
Badge, A. Datz.....	584,800
Bag. See Hand bag. Safety bag.....	584,899
Baggage handler, G. H. Wall.....	584,948
Baling press, duplex roller, A. Schulze.....	584,861
Bank, child's savings, J. T. Maher.....	585,122
Barrels, casks, etc., apparatus for heating and drying, H. Dunham.....	584,764
Bath tub attachment, R. A. Cox.....	585,086
Bearing, roller, T. J. Reid.....	584,904
Bearing, roller, J. F. Swinnerton.....	585,122
Bed, sofa, W. T. Kolph.....	585,022
Bell, bicycle, Claybourne & Shiek.....	585,149
Bicycle, P. J. Berlo.....	585,107
Bicycle, L. G. H. Kinsman.....	585,043
Bicycle, C. H. Metz.....	584,908
Bicycle, C. Young.....	585,007
Bicycle, W. L. Weistatus for saving persons, M. Karnicki.....	584,858
Bicycle crank, W. Diebel.....	585,054
Bicycle lock, W. H. Stevens.....	585,108
Bicycle luggage carrier, C. H. Lamson.....	584,905
Bicycle saddle, O. A. Tompkins.....	584,944
Bicycle saddle spring attachment, C. H. Little.....	585,139
Bicycle steering device, tandem, A. O. Very.....	585,136
Bicycle support, J. J. Cessford.....	585,140
Bicycle support, C. A. Wade.....	584,989
Bicycle trainer, I. H. Davis.....	584,888
Bicycle, tricycle, etc., D. E. Norton.....	584,902
Bleaching, etc., apparatus for, M. H. Smallwood.....	584,902
Block. See Washblock.	
Boiler. See Washboiler.	
Boiler or other furnace, steam, E. Fales.....	584,815
Bolt heading machine, C. W. Durchschlag.....	584,928
Book, separable, F. H. Gilson.....	584,907
Boots or shoes, self adjusting follower for, J. W. Thompson.....	585,010
Bottle, L. C. Adamson.....	584,837
Bottle, F. T. Fernandez.....	584,774
Bottle, non-refillable, W. H. Wellstead.....	585,143
Bottle stopper, J. & C. H. Hahn.....	585,087
Box. See Folding box. Match box. Miter box. Paper box. Sand box.....	585,069
Box making machine, W. S. Moore.....	584,825
Box strap, S. C. Cary.....	585,020
Box strap machine, Wolf & Ross.....	584,975
Bracket. See Telephone bracket.	
Bracket and insulator, combined, G. W. Mead.....	584,823
Brake. See Bicycle brake. Wagon brake.....	584,927
Bridle blind, J. S. Dean.....	584,882
Buckle, suspender, C. W. Latimer.....	585,012
Bullet lubricating device, W. W. Tracy.....	584,782
Burglar alarm, O. E. Jacob.....	584,798
Burglar alarm, Sutton & Steele.....	584,876
Buried alive, apparatus for saving persons, M. Karnicki.....	584,788
Burner. See Hydrocarbon burner.	
Bust, adjustable clothes, H. Lowenthal.....	585,142
Button fastener, C. H. Warrington.....	585,038
Babing, blank, A. M. Kinsel et al.....	584,955
Calendar, G. M. McLeod.....	585,074
Canceled machine, mail, W. Barry.....	584,891
Can filling machine, H. D. Pierce.....	585,073
Car construction, railway, W. P. Appleyard.....	585,163
Car coupling, W. F. Richards.....	584,894
Car roof, Williamson & Pries.....	584,836
Car roping device, C. L. Linscott et al.....	584,814
Car safety device, street railway, A. W. Fuller.....	584,930
Car seat, H. Meier.....	585,042
Car wheel, J. S. Woodcock.....	584,806
Carbon, are lamp, T. M. Foote.....	584,867
Cards, playing, C. A. Wells.....	584,801
Carriage, folding, C. F. Lydon et al.....	584,884
Carriage, folding baby, J. Sale.....	584,898
Carriage, spring, A. B. Arnold.....	584,913
Cask pitching apparatus, C. Hagenmuller.....	585,028
Casting dovetails, pattern for, E. Kuhn.....	585,039
Chain, elevator, C. N. Stanton.....	584,832
Channel forming and preserving apparatus, E. C. Nichols.....	585,116
Check, draft, etc., safety bank, A. W. Dove.....	585,087
Chuck, nipple, J. R. Flinn.....	584,996
Churn and butter worker, combined, T. J. Howe et al.....	585,100
Circuit breaker, magnetic, W. E. Harrington.....	585,030
Clasp. See Pad clasp.	
Clock case, A. Conkling.....	584,923
Clocks, sweep seconds hand train for, W. C. Sellers.....	585,153
Cock, gage, J. Stromvall.....	585,133
Coining machine, automatic, R. Lo Forte.....	584,945
Condenser, A. Hoberrecht.....	585,033
Core box sections, machine for making, J. A. Crane.....	584,854
Cork, dosing, Konold & Casper.....	584,941
Corn husker, G. W. Packer.....	584,889
Corn husking machine, W. H. Van Schaick.....	584,973
Corn husking machine, W. H. Van Schaick.....	585,093
Corn sheller cylinder, J. H. Gilman.....	585,105
Corset, L. E. Dill.....	584,778
Corset, F. A. Hiekel.....	584,778
Coupling. See Car coupling. Rod section coupling.....	
Crank, variable throw, A. Anthony.....	584,809
Crate for shipping wild game birds or poultry, C. Payne.....	584,790
Crate, fruit, A. S. Dimmick.....	585,135
Cuff holder, G. F. Pison.....	584,907
Cup. See Medicine cup.	
Cutoff mechanism for water pipes, automatic, D. W. Troy.....	585,061
Cycle saddle, G. F. Schrader.....	584,795
Dental flask press, J. E. Andrews.....	584,839
Dental handpiece, G. Sibley.....	585,125
Disc, carving, S. Sherman.....	584,841
Displayer, bat, A. J. Tribble.....	584,906
Door lock alarm, electrical, P. V. Van de Velde.....	585,138
Door or window fastening device, I. V. Mead.....	584,950
Drilling attachment, H. L. Warner.....	584,910
Drilling machine, D. H. Church.....	584,867
Drum, white, O. B. Noble.....	585,093
Dry goods rack, J. P. Caldwell.....	584,511
Duplicating or stencil printing machine, H. W. Lowe.....	584,787
Dye, blue, M. Boniger.....	584,981
Dye, green triazo, K. Jedlicka.....	585,104
Dye, holio brush holder, J. H. Yearsley.....	584,912
Ejector condenser exhauster, C. A. Bourdon.....	584,767
Electric circuits, automatic switch for, R. Belfield.....	584,843
Electric conductor, I. W. Henry.....	584,936
Electric current generator, therapeutic, E. W. Chellis.....	584,853
Electric meter, coin freed, Knight & Ellis.....	584,879
Electric motor controller, H. P. Davis.....	584,856
Electromagnet, C. P. Bostian.....	584,848
Electrotherapeutic apparatus, F. J. Patten.....	584,957
Elevator controller, Lenz & Newhall.....	585,112
Envelope machine, Metcalfe & Sherman.....	584,824
Explosive engine, C. Quast.....	584,930
Eyeglasses, cushion pad for, E. A. Parker.....	585,119
Fan, automatic, R. Steel.....	585,131
Fan, ventilating, G. H. Barney.....	584,917
Fastener for gloves, etc., C. A. Penning.....	585,048
Faucet, T. C. Ryan.....	584,897
Felt guide, G. S. Witham.....	585,137
Fence, G. S. Clements.....	585,023
Fence post, metallic, J. Y. Propst.....	584,791
Fence stay, wire, D. M. Springer.....	585,052
Ferric residue and apparatus therefor, treatment of, W. W. Mills.....	585,044
Fertilizers, apparatus for making, W. Venuluth.....	584,908
Fire alarm system, auxiliary, R. E. Alexander.....	585,072
Fire extinguishing systems, automatic sprinkler for, E. F. Steck.....	585,128
Fire kindler, N. MacDonald.....	585,001
Fireproof construction, F. D. T. Lehmann.....	585,111
Fireproof floor, J. Jameton.....	584,875
Fish trap, C. C. Thompson.....	584,833
Fluid pressure regulator, F. V. Barker.....	584,766
Fluid pressure regulator, E. O. Thompson.....	584,799
Fodder loader, T. Meyer.....	585,002
Folding box, F. W. Wilcox.....	584,974
Folding machine sheet adjusting device, W. D. Nichols.....	585,117
Fruit drier, A. Fleckenstein.....	584,817
Fruit drier, C. Fleckenstein.....	584,818
Funnel, B. L. Scott.....	584,800
Furnace, E. Fales.....	584,816
Game apparatus, E. P. Kennel.....	584,878

(Continued on page 14)

IT'S THE THAT HAS GIVEN THE FAME TO

Lather WILLIAMS' Shaving Soaps

NO OTHER SO RICH AND CREAMLIKE

Soothing - HEALING

SOLD EVERYWHERE.

Williams' Shaving Stick, 25 cts.
Genuine Yankee Shaving Soap, 10 cts.
Luxury Shaving Tablet, 25 cts.
Swiss Violet Shaving Cream, 50 cts.
Jersey Cream (Toilet) Soap, 15 cts.
Williams' Shaving Soap (Barbers'), 6 Round Cakes, 1 lb., 40 cts. Exquisite also for toilet. Trial cake for 2c. stamp.

Eyelet Machines.

We can furnish the Latest Improved Eyelet Machines for making shoe eyelets and special eyelets of all descriptions. We are also builders and designers of Special Wireworking Machinery.

Send for Circular.

BLAKE & JOHNSON,
P. O. Box 7, WATERBURY, CONN., U. S. A.

GATES ROCK & ORE BREAKER, Steam Ore Stamp, Mining Machinery,
50 years experience as builders.
GATES IRON WORKS,
Dept. C, 650 Elston Ave., Chicago.

On receipt of ten cents in stamps (practically 25% of retail price) we will send you one of our

1/2-INCH AUGER BITS

A fine cutting tool, perfect clearance, especially good in hard wood and for end boring.
Send for Circulars "S. A." Free.

THE FORD BIT CO., HOLYOKE, MASS.

SCIENTIFIC AMERICAN SUPPLEMENT.—Any desired back number of the SCIENTIFIC AMERICAN SUPPLEMENT can be had at this office for 10 cents. Also to be had of newsdealers in all parts of the country.

WELL DRILLING MACHINERY,
MANUFACTURED BY
WILLIAMS BROTHERS.
ITHACA, N.Y.
MOUNTED ON OR ON SILLS, FOR DEEP OR SHALLOW WELLS, WITH STEAM OR HORSE POWER
SEND FOR CATALOGUE
ADDRESS WILLIAMS BROS. ITHACA, N.Y.

ONLY ALL WROUGHT STEEL Belt & Pulley

in the World. Unbreakable, very light. Positively safe. Extremely high speeds. Perfectly balanced any speed. Cheap first cost and power saver. Steel bushings to fit any shaft. Up-to-date dealers will secure territory. For price and description, write
AMERICAN PULLEY CO.
18th and Hamilton Sts., Phila., Pa.
See SCIENTIFIC AMERICAN, Feb. 6, 1897, page 84.

"MOON" AUTOMATIC GREASE CUP

It has beveled leather washer which insures a tight joint and smooth working. Washer can be expanded by adjusting a screw. The spring and plunger are controlled by the thumb nut on top of cup. The feed is regulated by screw. These excellent features are leaders of others.

If you are interested, talk to us.
AMERICAN INJECTOR CO.
331 Congress Street, W., Detroit, Mich.

There's a Reason for Everything,

but there are many reasons why all intelligent people should subscribe for the

Scientific American

It is a weekly reflex of the whole world's scientific discoveries and transactions in Mechanics, Engineering, Chemistry, Electricity, and, in fact, a faithful chronicle of scientific matters relating to all trades and professions. It is contributed to by the most distinguished writers and is regarded in every land as the leading scientific publication.

Noteworthy inventions and patents are recorded and explained in its pages. Nothing of interest to science or scientists is ever omitted from its columns.

The subscription price is \$3.00 per year; six months, \$1.50; four months, \$1.00. Remit by check, draft, or money order payable to


MUNN & CO., Publishers,
361 Broadway, New York City.

Machine Design

Mechanical & Architectural Drawing; Marine, Stationary and Locomotive Engineering; Sheet Metal Pattern Cutting; Plumbing; Electricity; Railroad, Municipal, & Bridge Engineering; Surveying and Mapping; Book-keeping; Shorthand; English Branches; Architecture; Mining; Metal Prospecting. All who study **GUARANTEED SUCCESS.** Fees Moderate. Advance or Installments. Circular Free. State subject you wish to study. International Correspondence Schools, Box 942, Scranton, Pa.




ARMSTRONG'S * PIPE * THREADING




CUTTING-OFF MACHINES
Both Hand and Power.
SIZES 1 TO 6 INCHES.
Water, Gas, and Steam Fitting Tools, Hinged Pipe Vises, Pipe Cutters, Stocks and Dies universally acknowledged to be THE BEST. Send for catalog THE ARMSTRONG MFG. CO. Bridgeport, Conn.

The Van Norman • • • Universal Bench Lathe.



A Lathe, Milling Machine, Screw Cutter and Universal Grinder in one tool. The best tool made for all kinds of small work. Made by Waltham Watch Tool Co., SPRINGFIELD, MASS. Send for Catalogue

CROOKES TUBES AND ROENTGEN'S
Photography.—The new photography as performed by the use of Crookes tubes as a source of excitation. All about Crookes tubes. SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 181, 189, 238, 243, 244, 292, 295, 305, 380, 1051, 1054, 1055, 1056, 1057, also SCIENTIFIC AMERICAN, Nos. 7, 8, 10 and 14, Vol. 74. These profusely illustrated SUPPLEMENTS contain a most exhaustive series of articles on Crookes tubes and the experiments performed with them. Among them will be found Prof. Crookes' early lectures, detailing very fully the experiments which so excited the world, and which are now again exciting attention in connection with Roentgen's photography. Price 10 cents each. To be had at this office and from all newsdealers.



DENSMORE

The BALL-BEARING Type-Bar Joints mark an era in Typewriter Construction.



LIGHTEST KEY TOUCH, because of the Compound Levers, GREAT-EST SPEED, because of the Convertible Speed Adjustment.

MOST CONVENIENT PAPER FEED, because of the Unique Paper-Fingers, and Ease with which Platen is Turned to Show Writing. BEST FOR BOTH CORRESPONDENCE AND MANUFACTURING, because of the Instantly Interchangeable Printing Characters. FREE.—Illustrated Pamphlet "S. A." containing testimonials from the U. S. Government and from Leading Concerns.

Densmore Typewriter Co. 316 B'way, New York.

WATER MOTORS

GAS ENGINES & VENTILATING FANS

The best Motor in the world for driving all kinds of light machinery, noiseless, neat, compact; invaluable for blowing church organs, running printing presses, coffee mills, ventilating fans, ice cream freezers, meat choppers, etc. In use the world over, and recommended by water companies everywhere. Address for circular, Backus Water Motor Co., Newark, N. J., U. S. A.

SCREW-CUTTING DIE HEADS



SELF-OPENING and ADJUSTABLE. The best die head on the market. Some advantages over "others" viz.: They are smaller, stronger, more compact, have no levers to spring, cannot be clogged by chips, are always reliable, and the prices are right. Send for descriptive circular "S. A." Our die heads are furnished in sizes suitable for cutting threads from No. 17 wire gauge to 6 inches diameter inclusive.

GEOMETRIC DRILL CO., WESTVILLE, CT. EUROPEAN AGENTS: CHAS. CHURCHILL & CO., London, England. WHITE, CHIL & BENEY, Vienna, Austria.

DORMAN'S VULCANIZERS

are used all over the world. Exclusive Manufacturers of Steam Machines for Rubber Stamps. We also make Dry Heat Vulcanizers. Complete outfits from \$10 to \$1,000. All Stamp and Stencil Tools and Supplies. Brass and Steel Dies for all purposes. Stamps, Engraving and Die Sinking of all kinds. Established 1860. Printing Presses, with complete outfits, from \$1 to \$100. Send for Catalogue.

THE J. F. W. DORMAN CO., 121 E. Fayette St., Baltimore, Md., U. S. A.

1897 Supplement Catalogue Ready!

The publishers of the SCIENTIFIC AMERICAN announce that an entirely new 48 page SUPPLEMENT Catalogue is now ready for distribution, and will be sent free to all on application.

MUNN & CO., Publishers, 361 Broadway, New York City.


GREENFIELD Steam Engine Works.

Established 1874. Manufacturers of Greenfield Stationary, Portable and Yacht

ENGINES AND BOILERS.

Also Horizontal, Automatic and Variable Cut-off Engines. Sizes from 3 to 75 Horse-Power. Also Vertical and Horizontal and Marine Boilers, Steam Pumps and Adams' Grate Bars.

W. G. & G. GREENFIELD, East Newark, N. J.




This beats Wind, Steam, or Horse Power. We offer the WEBSTER 2 1/2 actual horse power GAS ENGINE for \$150, less 10% discount for cash. Light, interchangeable plan. Built of best material. Made in lots of 100 therefore we can make the price. Boxed for shipment, weight 300 pounds. Made for Gas or Gasoline. Write for Special Catalogue. WEBSTER MFG CO., 1074 West 15th Street, CHICAGO.

The Long-Sought-For Found at Last

AN IMPULSE WITH EVERY TURN OF THE CRANK. The Hicks Compound Cylinder Gas and Gasoline Engine.


The Engine of the future. This engine will run steadily and reliably as the best automatic steam engine, and much better than the ordinary single cylinder. Catalog free. Frontier Iron Works, 601 ATWATER ST., DETROIT, MICH.



ELECTRO MOTOR, SIMPLE, HOW TO
make.—By G. M. Hopkins. Description of a small electro motor devised and constructed with a view to assisting amateurs to make a motor which will run with advantage by a current derived from a battery, and which would have sufficient power to operate a foot lathe or any machine requiring not over one man power. With 11 figures. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 641. Price 10 cents. To be had at this office and from all newsdealers.

GAS AND GASOLINE ENGINES.

Using Natural Gas, Coal Gas, Producer Gas, and Gasoline direct from the tank. 1 to 40 H. P., actual. The Springfield Gas Engine Co., 21 W. Washington St., Springfield, O.




The "Wolverine" Three Cylinder Gasoline Marine Engine.

The only reversing and self starting gasoline engine on the market. Lightest engine for the power built. Practically silent vibration. Absolutely safe. Single, double, and triple marine and stationary motors from 1/2 to 30 H. P. Write for catalogue. WOLVERINE MOTOR WORKS, Grand Rapids, Mich.

HOISTING ENGINES

operating on GASOLINE, OIL, or CRUDE. Both Friction and Gear Driven. Hoisted from 10 to 50 H. P., for Mines, Quarries, Docks, etc. Great Saving over steam, especially where wood, coal or water are scarce. No danger, no explosion. Guaranteed fully. State size wanted. Address Weber Gas and Gasoline Engine Co., 402 S. W. Boulevard, Kansas City, Mo.



ALCO VAPOR LAUNCH

Motor controlled from bow. Valve movement, 12 to 16 to 60 ft. Launches. Twin Screws a specialty. 1, 2, 3, 5, 7, 12, 14 and 20 h. p. No licensed engineer or pilot required. Speed and safety guaranteed. No danger, no explosion, or Gasoline used. No disagreeable vibration. Send 10 cents in stamps for 1897 Catalogue. Marine Vapor Engine Co., ft. Jersey Av., Jersey City, N. J.



MONITOR AND MOGUL LAUNCHES.

NO INSPECTION, BOILER, FIRE, HEAT, SMOKE OR ODOR. VAPOR ENGINE AND POWER COMPANY. GRAND RAPIDS, MICH. SEND FOR CATALOGUE.

Little Hustler Fan

Five inch. Keep Cool at desk, home and sick room. High speed, wonderful results. Guaranteed to run eight hours on one charge. Pulley for running toys and light machinery. Complete with battery. \$2. Send stamp for circular of larger outfits. Motors from \$1.00 up. Agents wanted. Samples list. Discount only by the dozen. KNAPP ELECTRIC & NOVELTY CO., 45 Warren Street, New York.



THE CARBIDES AND ACETYLENE

Commercially Considered.—By T. L. Willson and J. J. Suckert, Ph.D. A consideration of the carbides and acetylene from a commercial point of view, preceded by a brief history of these compounds, the methods of their formation, and their chemical and physical properties. With 10 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, Nos. 1015 and 1016. Price 10 cents each. To be had at this office and from all newsdealers.

STORAGE BATTERIES

THE WILLARD BATTERY CO., CLEVELAND, O.


Pipe Threading Machines

of Highest Merit.

COMBINATION BENCH and PIPE VISES.

Catalogue containing interesting information free.

Bignall & Keeler Mfg. Co., Box S., Edwardsville, Ill.



Game counter, L. A. Levy.....	585,113
Gas apparatus, acetylene, R. Luckenbach.....	584,946
Gas burning apparatus, acetylene, Dickerson & Suckert.....	584,772
Gas engine, C. A. Miller.....	585,115
Gas engine, C. Quast.....	584,961
Gas engine, explosive, Starr & Cogswell.....	585,127
Gas generator, acetylene, H. F. Fuller.....	584,951
Gas lighting and extinguishing apparatus, electric, G. F. Krieger.....	584,785
Generator. See Electric current generator. Gas generator.....	
Gig mill, N. H. Grosselin, Fils (reissue).....	11,612
Girth, saddle, G. R. Matthews.....	584,949
Grain drier, G. H. Cornack.....	584,926
Grate for furnaces, etc., F. A. Westbrook.....	585,144
Guide bar for stocks and dies, Burns & Fagan.....	584,919
Hand bag, G. Giugliano.....	584,870
Hanger. See Meat hanger. Picture rod hanger.....	
Harrow attachment, disk, M. J. Todd.....	585,136
Harvester, corn, J. L. Hart.....	585,000
Harvesting peppermint plants, machine for, A. M. Todd.....	584,969
Hat fastener, A. N. Tucker.....	585,062
Hat holder, J. Egan.....	584,992
Heating and ventilating apparatus, W. L. White.....	585,069
Hinge, J. A. Strong.....	584,970
Hinge, shutter, T. Corcadant.....	584,813
Hog elevating and suspending apparatus, Stafford & Baxter.....	584,903
Hook. See Snap hook.....	
Horse fire mask, H. Lundborg.....	584,947
Horse foot pad, Cran & Wheeler.....	584,799
Horseshoe, elastic, E. C. Davis.....	584,855
Hose coupling, Wenzel & Stratton.....	585,014
Hub, ball bearing vehicle, C. M. Andrews.....	584,838
Humidifier, F. B. Comins.....	584,812
Hydrocarbon burner, R. Moore, Jr.....	584,951
Indicator lock, F. Alorich. Indicator lock.....	585,016
Ingots or castings of iron or steel, making, A. E. Hunt.....	585,036
Ink well and stand, C. F. Seymour.....	584,797
Insulated support for contact rails, Hanson & Chapman (reissue).....	11,613
Insulator, E. D. Delvey.....	585,026
Iron by means of electricity, melting, C. G. P. de Laval.....	585,040
Iron for malleable castings, making molten, H. M. Howe.....	584,781
Irrigating and draining land, G. W. Jamison.....	585,103
Jacking conduit, sub, R. H. Mead.....	584,886
Jack. See Lifting jack.....	
Journal bearing, W. M. Barnes.....	584,916
Key fastener, C. C. Thompson.....	584,834
Knife. See Saw knife.....	
Knitting machine quarter saver, circular, R. A. Dillon.....	584,859
Lab or stamp machine, R. W. J. Kraus.....	584,949
Ladder, extension, E. F. Steck.....	585,122
Ladder, fire, J. E. & E. Uren.....	585,064
Lamp, electric arc, A. Bureau.....	584,983
Lamp, miner's, C. H. Hobson.....	584,780
Lamp, multiple filament regulating incandescent, Tru.....	585,137
Lamp or lantern globe lifting device, R. J. Kelley.....	584,939
Lamp, portable incandescent, C. Schinz.....	584,830
Lamps, fluid for strengthening mantles or hoods for incandescent gas, C. R. Ellett.....	585,091
Lathe, wheel axle, H. C. Boquet.....	584,846
Lawn sprinkler, support, H. D. Winter.....	584,804
Leather, making finely veined marbling on, F. L. W. Frenay.....	584,932
Lemon juice extractor, G. Wonders.....	584,805
Lemon squeezer, S. C. & M. B. Templin.....	585,134
Lock, bicycle, C. L. Hiteley.....	584,802
Lock. See Bicycle lock.....	
Locomotive, C. L. Heisler.....	585,031
Locomotive, electric, L. T. Pyott.....	585,120
Loom harness connection, Keeley & Northrop.....	585,105
Loom jacquard mechanism, A. K. Chalmers.....	585,082
Loom takeup and letoff, O. W. Schaum.....	584,793
Lubricator. See Sight feed lubricator.....	
Manure spreader, J. S. Kemp.....	584,877
Match box, L. B. Vincent.....	585,066
Meat hanger, J. Beaulieu.....	584,978
Medicinal soap, making, J. Johnston.....	584,938
Medicine cup, J. Hillary.....	584,937
Melting furnace, L. Delattre.....	584,911
Mercury rage, E. G. Golder.....	584,998
Metals, apparatus for electrodeposition of, A. S. Smith et al.....	585,051
Metals, ores, etc., apparatus for electric thermal treatment of, G. D. Burton.....	585,019
Meter. See Electric meter.....	
Milk separator, J. Schuch.....	585,164
Mill. See Gig mill. Triturating and reducing mill. Windmill.....	
Mining machine, H. H. Bliss.....	585,018
Miter box, E. A. Zeiger.....	585,168
Mould, R. Hall.....	585,154
Mould, E. Mowrey.....	584,963
Mortar mixing apparatus, D. Brennan, Jr.....	584,849
Moth proof carpet moulding, F. L. Watts.....	584,835
Motors, cooling device for gas or petroleum, E. Capitaine.....	584,920
Motors, running for cylinders and under explosive chambers of petroleum, E. Capitaine.....	584,921
Nailing machine, L. Goddu.....	584,775
Necktie fastener, W. A. Bunn.....	584,982
Nut lock, J. Gorman.....	584,776
Ores, mattes or compounds, reducing argentiferous, J. Delattre.....	584,783
Overshoe, pneumatic, J. A. Flint.....	584,866
Packing machine, W. H. Bullock.....	584,850
Padlock, permutation, J. M. Barnay.....	584,841
Padlock, permutation, T. R. Vinzent.....	585,013
Pail clasp, S. C. Cary.....	585,021
Painting machine, C. A. Farnham.....	584,864
Paper box, F. V. Ettlinger.....	584,929
Pea shelling machine, G. H. Olney.....	585,118
Pen guide, R. L. Shaw.....	585,008
Pencil, magazine lead, Goldsmith & Burt.....	584,989
Pencil sharpener, C. W. Hare.....	584,934
Photograph album, manufacturer of, G. B. Jones.....	584,982
Piano pedal, A. F. Norris.....	585,004
Picture rod hanger, G. J. Kelly.....	585,106
Piston, G. R. Babbitt.....	584,914
Planing and trimming piano backs, etc., machine for, M. Olson.....	584,789
Plant protector, Taylor & Gardner.....	584,909
Planter and fertilizer distributor, E. L. Dunlap.....	585,088
Planter check row attachment, corn, H. V. Diehl.....	584,991
Planter, corn, G. J. Haas.....	585,095
Planter, corn, J. F. Winchell et al.....	585,015
Planter, seed, J. G. Haas.....	585,096
Plumb bob, W. W. Wood.....	584,903
Plumbers' slabs, machine for moulding openings in, G. W. Cofran.....	585,024
Pneumatic dispatch apparatus, A. & J. W. Mathis.....	584,885
Pocket, B. Bissinger.....	584,944
Pocket pin and lock, J. C. W. Weider.....	584,877
Polishing machine, J. A. Houlihan.....	585,034
Post. See Fence post.....	
Postal machine, W. Barry.....	585,076
Postmarking and canceling machine, W. Barry.....	585,075
Powder disintegrator and distributor, E. D. Stodder.....	585,056
Power transmitting mechanism, Thomas & O'Connell.....	585,135
Press board, Carlson & Hagberg.....	584,852
Printer's extension furniture, W. E. Ela.....	584,994
Printing, method of and apparatus for die, S. P. Steen, Jr.....	584,965
Propulsion device, N. Roe.....	584,896
Pulverizer, D. Roberts.....	585,049
Punch, canceling, O. W. Cooke.....	584,925
Punching machine, W. H. Dougherty.....	584,773
Puzzle, J. E. Dennis.....	584,857
Quinine carbonic ether and making same, A. Weller.....	584,967
Rack. See Dry goods rack.....	
Radiator, A. Eichhorn.....	584,993
Rail hardening apparatus, H. C. Clement.....	584,988
Railway conductor, underground electric, C. Petersen.....	585,047
Railway, electric, F. W. Hunter.....	584,873
Railway speed controlling apparatus, B. C. Rowell.....	584,962
Railway switch lever, G. J. M. Vanneste.....	585,065
Railway system, electric, G. W. Langhouse, Jr.....	584,911
Railway vehicle brake apparatus, C. Durey.....	585,089
Regulator. See Fluid pressure regulator.....	
Riveting machine, G. H. Pegram.....	584,958
Rocker, J. S. Byrnes.....	584,984
Rod section coupling, W. Connelly.....	584,768
Motor, L. M. Hakanson.....	585,029
Rubber compound, C. V. Petraeus.....	584,959
Safety bag, E. A. Cauter.....	585,081
Sand box, W. W. Annable.....	584,977
Sash fastener, R. Lee.....	585,110
Saw, G. G. Dowble.....	584,880
Saw, inserted tooth, E. C. Atkins.....	584,940
Saw knife, M. T. Chaney.....	585,157
Sawing machine, portable, H. C. Hutchinson.....	585,037
Screen. See Window screen.....	
Sealed container for fluids for preventing refilling of same, F. Jacobs et al.....	584,874
Sealing cap for cans, etc., G. J. Cochrane.....	584,892
Seat frame, yielding wire, A. Y. Cochrane.....	584,922
Separator. See Milk separator.....	
Settling tank, T. M. Righter.....	585,121
Sewing machine, H. R. Tracy.....	585,060
Sewing machine hemstitch attachment, W. J. MacKenzie.....	584,821

(Continued on page 15)

Buy Telephones

THAT ARE GOOD—NOT "CHEAP THINGS." The difference in cost is little. We guarantee our apparatus and guarantee our customers against loss by patent suits. Our guarantee and instruments are both good. WESTERN TELEPHONE CONSTRUCTION CO., 250-254 South Clinton St., Chicago. Largest Manufacturers of Telephones exclusively in the United States.




HOOTS AUTOMATIC TELEPHONE SWITCHES

Some of its advantages: 1st. It is strictly automatic. 2d. It completely does away with the "manual" switchboard. 3d. Connection between subscribers is direct and instantaneous. 4th. No central office operator to hear, delay, or interrupt conversations. 5th. Uniform and uninterrupted service at all hours of day or night. This appliance is sold outright or leased, at option of customer, and fully guaranteed. Send for illustrated circular S. A. to Houts Automatic Telephone Switch Co., Parker, So. Dakota, U. S. A.



Manufactory Established 1761. LEAD PENCILS, COLORED PENCILS, SLATE PENCILS, WRITING SLATES, STEEL PENS, GOLD PENS, INKS, PENCIL CASES IN SILVER AND IN GOLD, STATIONERS' RUBBER GOODS, RULERS, COLORS AND ARTISTS' MATERIALS. 78 Reade Street, - - - New York, N. Y. Manufactory Established 1761.



NOW IS THE TIME TO SUBSCRIBE



ESTABLISHED 1845.

The most popular Scientific Paper in the World

The SCIENTIFIC AMERICAN has been issued every week by the present publishers for a period of over fifty years. It is the only Journal published in this country which is devoted to a general treatment of the development of the sciences, arts and manufactures. Each issue is embellished with numerous illustrations showing great engineering works, the most recent inventions in bicycles and motor carriages, new forms of machinery, photography, the latest additions to the navy, new guns, locomotives, etc., sixteen pages each week. Many of our patrons have been on our subscription books for a period of thirty or forty years, and we often receive letters from old readers stating that owing to a careful reading of the paper since boyhood, they owe their success in life more to having had the SCIENTIFIC AMERICAN as their constant friend and companion than to any other one cause.

The SCIENTIFIC AMERICAN should have a place in every dwelling, shop, office, school or library. Workmen, foremen, engineers, superintendents, directors, presidents, officials, merchants, farmers, teachers, lawyers, physicians, clergymen—people in every walk and profession in life, will derive satisfaction and benefit from a regular reading of the SCIENTIFIC AMERICAN.

As an instructor for the young it is of peculiar advantage. Try it.—Subscribe for yourself—it will bring you valuable ideas; subscribe for your sons—it will make them manly and self-reliant; subscribe for your workmen—it will please and assist their labor: subscribe for your friends—it will be likely to give them a practical lift in life.

A yearly subscription to the Scientific American is a most acceptable gift to a son or a friend.

NEW VOLUME COMMENCES JULY 1st. SUBSCRIPTION PRICE, \$3.00 a year, or \$1.50 for six months.

Send your address for a free specimen copy.

MUNN & CO., PUBLISHERS, 361 BROADWAY, NEW YORK.

Have You a Friend

Interested in the fine art of printing?
Artists and illustrators, book lovers, printers and crafts-
men, one and all enjoy

THE INLAND PRINTER

and find a \$2.00 yearly subscription (20 cents a number)
is returned many times in the value of suggestions and
ideas immediately utilizable in their professions. Superb
illustrations, in color and monochrome. Many depart-
ments, all conducted by experts. Sample, 20 cents.

THE INLAND PRINTER CO., 212-214 Monroe Street, CHICAGO.

NOW READY.

"Inexpensive Country Homes."

A Practical Book for Architects, Builders and those
Intending to Build.


A handsome cloth-bound portfolio, consisting of 96
pages 11x14, printed on heavy plate paper, and con-
taining 43 designs, with floor plans, of practical,
tasteful and comfortable country homes, ranging in
cost from \$1,000 to \$5,000 complete. The designs
have been carefully selected as embodying the best
efforts of various architects throughout the country.
Every one of the houses has already been built,
and all of the illustrations are half-tone engravings,
made direct from photographs of the completed
structures, taken especially by the SCIENTIFIC
AMERICAN artists. In many cases two perspective
views of the same house are shown. Several illus-
trations of inexpensive stables are also included
among the designs.

The location of the dwellings, the cost, owners' and
architects' names and addresses are given, together
with a description of the dwelling, thus enabling, if
desired, a personal inspection of the dwelling or
direct correspondence with the architect or owner.

Architects, Builders, and those intending to build
will find many new and valuable suggestions among
the up-to-date designs illustrated in this handsome
portfolio.

Price, \$2.00 by mail, postpaid.

MUNN & CO., Publishers,
361 Broadway, New York City.



The Typewriter EXCHANGE,

1 1/2 Barclay St., New York.
156 Adams St., Chicago.
38 Court Sq., Boston.

818 Wyandotte Street, Kansas City, Mo.

We will save you from 10 to 50 per cent. on Typewriters
of all makes. Send for Catalogue.

ACETYLENE APPARATUS.—ACETYLENE
number of the SCIENTIFIC AMERICAN SUPPLE-
MENT, describing, with full illustrations, the most
recent, simple, or home made and commercial apparatus
for generating acetylene on the large and small scale.
The gas as made for and used by the microscopist and
student; its use in the magic lantern. The new French
table lamp making its own acetylene. Contained in
SCIENTIFIC AMERICAN SUPPLEMENT, No. 1037.
Price 10 cents. To be had at office.

SO SIMPLE A CHILD CAN USE THEM

SUNART
MAGAZINE CAMERA.
Folding Cameras.
All sizes, ranging in price from
\$5 to \$100. Sunart Junior, 3 1/2 x
3 1/4 picture, \$5.
Send 2 cent stamp for
Illustrated Catalogue.

SUNART PHOTO CO.

5 Aqueduct Street, ROCHESTER, N. Y.

THE TIN PLATE INDUSTRY IN THE
United States.—An interesting paper, showing the ex-
traordinary development of the tin plate industry in
this country, and the serious competition into which it
is now entering with the British industry. With 18 illus-
trations. Contained in SCIENTIFIC AMERICAN SUPPLE-
MENT, Nos. 1019, 1020, 1021, 1022 and 1023.
Price 10 cents each, or 50 cents for the series. To be had
at this office and from all newsdealers.

Best Line
TO
Pittsburg
Cincinnati
St. Louis
Chicago
Indianapolis
Toledo

HYPNOTISM Sixty ways, \$5; my method, \$2.
100 page book, 10c. Occult Forces,
30c. Prof. Anderson, S. A. 67, Masonic Temple Chicago

Sharpener, G. A. Friedrich.....	584,933
Sheet metal, composition of matter for treating, W. E. Harris.....	585,008
Shirt, B. Berenstein.....	584,979
Shovel, B. F. McIndoo.....	584,827
Sidewalk cover, W. H. Stevens.....	585,053
Sight feed lubricator, A. A. De Witt.....	584,930
Sign frame for arc lamps, C. F. & B. W. Bier- baum.....	585,079
Siphon head, E. Stahl.....	585,165
Skirt, cycling, E. Voorhis.....	584,909
Skirt securing device, J. R. Gilbert.....	584,869
Slot machine, J. N. Bell.....	585,077
Snap hook, spring tongue, J. C. Covert.....	585,085
Sole or heel trimming, rotary cutter for, A. Mu- dwell.....	584,826
Sole rounding machine, H. Loewer.....	584,820
Spectacle frame, I. Alexander.....	584,765
Spool stand, A. M. Yeakel.....	585,070
Spring. See Carriage spring.	
Spring brake on upgrade propeller, P. Selleg.....	584,796
Spring connection, equalizing, W. B. Luce.....	585,152
Sprinkler, J. K. Macksey.....	584,822
Stacking device, W. Barry.....	584,842
Stand. See Spoolstand.	
Steel, manufacturing manganese, R. A. Hadfield.....	585,161
Steel winding mechanism, C. P. Corliss.....	585,025
Stitch machines, thread inserting tool for fair, E. F. Mower.....	584,952
Stone channeling tool, A. E. Blair.....	584,845
Stone cutting machine, T. A. Jackson.....	585,102
Stone grapple, W. Knox.....	584,880
Stone, making artificial, J. W. Turner.....	584,933
Stone planer tool, C. A. Thomson.....	585,011
Stopper. See Bottle stopper.	
Stove, E. Gurney.....	585,027
Stove, folding camp, C. S. Penfield.....	585,046
Straw, artificial, M. C. Stone.....	585,057
Sun shield, R. S. Lawrence.....	585,068
Suspender cast off, G. E. Adams.....	585,071
Swaging machine, J. T. Kennedy.....	585,151
Switch lock, J. Carson.....	584,985
Table and step ladder, combination, S. W. Stern.....	585,166
Tackle block, R. Wilson.....	585,145
Tank. See Settling tank.	
Tapping device, beer, Farnoff & Sticht.....	584,863
Tapping device, beer, G. J. Hill.....	584,779
Tapping water or gas mains, machine for, G. Shelley.....	585,124
Teeth, automatic plunger for filling, R. H. Booty.....	584,847
Telephone, J. T. Gent et al.....	584,808
Telephone annunciator, call bell and fire alarm, M. Garl.....	584,833
Telephone bracket, A. Y. Gordon.....	584,871
Telephone transmitter, R. S. Barnum.....	584,810
Telescope, E. Abbe.....	584,976
Tellurian, J. L. Buxton.....	584,851
Tellurian, N. J. Hurst.....	584,854
Thill coupling, H. B. & J. N. Young.....	585,148
Tire, cushion, R. H. Hayes.....	584,935
Tire puncture closer, pneumatic, W. R. Bell.....	585,078
Tool, combination, A. W. Severance.....	585,123
Tool, pivoted, M. D. Converse.....	584,924
Toy or puzzle, E. T. Baird.....	585,015
Toy, paper, E. T. Gibson.....	585,092
Toy puzzle, A. Kemper.....	584,784
Track sanding apparatus, J. A. Houston.....	585,035
Trap. See Animal trap. Fish trap.	
Triturating and reducing mill, C. J. Best.....	584,980
Trolley, Smith.....	584,831
Trolley, electric railway, E. M. Bentley.....	584,915
Trousers guard, J. E. Norwood.....	585,162
Trousers guard, V. M. & J. F. Schmitz.....	584,964
Typewriting machine, W. H. Stewart.....	584,966
Vaccine point protector, G. G. Rambaud.....	585,007
Valve, J. Knibb.....	584,970
Valve apparatus, F. Gray.....	585,094
Valve for air brakes, automatic train pipe vent, B. C. Rowell.....	584,963
Valve for sprinkler heads, resilient, E. F. Steck.....	585,130
Valve mechanism, H. F. Cook.....	585,083
Valve mechanism, steam engine, C. Schmid.....	584,794
Valve, safety, H. F. Cook.....	585,084
Valve, safety, J. Stromvall.....	585,132
Vehicle, motor, J. F. Duryea.....	585,159
Vehicle seat and top support, H. H. Uckotter.....	584,971
Vehicle storm apron case, W. Fetzner.....	584,985
Velooped luggage carrier, R. H. Lamson.....	584,943
Ventilator. See Cellar ventilator. Window ven- tilator.	
Veterinary mouth speculum, J. O. Hymer.....	585,101
Vise, parallel, S. Harrison.....	584,872
Wagon brake, hay, G. F. Randolph.....	584,829
Wagon dump, G. L. Langdon.....	584,794
Warp beaming machine, Parsons & Goldschmidt.....	584,956
Washboard, A. Price.....	585,005
Washboard, W. G. Tower.....	584,970
Washbolter, J. R. Robertson.....	585,050
Washers, rings, etc., manufacture of, F. W. Walker.....	585,141
Waterproof cloth, etc., manufacture of, A. Fisher.....	584,865
Welding, method of and machine for electric, R. D. Eyre.....	585,160
Wheel. See Car wheel.	
Wheel, J. T. Stockton.....	585,055
Wick raising or lowering device, W. C. Quiggle.....	585,006
Winch, dory, F. Sylvester.....	585,059
Windmill, J. A. Chapman.....	584,986
Windmill, W. A. Winn.....	585,146
Window frame, N. Cartus.....	585,080
Window pane securing device, R. L. Spears.....	584,838
Window screen, adjustable, E. L. Lloyd.....	585,041
Window ventilator, G. B. Pattison.....	584,890
Windows, removable pulley stile for, W. Munch.....	584,887
Wire drawing machine, J. Rady.....	584,792
Wrench, J. Eaton.....	584,814
Wrench, J. Sherrill.....	585,125
Yarn clearer, H. Burgess.....	585,155
Yoke safety attachment, pole, B. Larsen.....	584,881

DESIGNS.

Badge, E. A. Bachman.....	27,234
Box handle, S. A. Hutcheson.....	27,247
Button hook handle, F. Thielke.....	27,235
Clothes pin, W. C. Smith.....	27,240
Cuff holder, M. B. Hill.....	27,240
Hook plate, checkrein, G. A. Chamberlain.....	27,243
Nipple, H. Meier.....	27,241
Pulley hub clamp, T. Corcoran.....	27,248
Spoke pin, C. H. Veeder.....	27,246
Spoon, O. O. Peabody.....	27,237
Spoons, etc., handle for, W. C. Codman.....	27,237
Spoons, etc., handle for, J. E. Strater.....	27,238
Valve casing, check, W. Ford.....	27,244
Violin chin rest, H. O. Peabody.....	27,242

TRADE MARKS.

Beverages, root beer, and similar drinks, com- pounds for making non-alcoholic, L. M. Pet- erson.....	30,240
Bicycles, tricycles, tandems, and goods of identi- cal character, Speeder Cycle Company.....	30,258
Brandy, Bisquit, Dubouche & Company.....	30,241
Candies, chocolates, fruit glazes, and other sweets and confections, F. Cottino.....	30,248
Cigarettes, Liggett & Myers Tobacco Company.....	30,247
Cutlery and edge tools, certain, Schreiber, Con- char & Westphal Company.....	30,254
Cycles, wheels, and parts, Buehler & Platt.....	30,257
Flour, patent process, J. N. Matthews.....	30,250
Hair pins, M. Maidhof.....	30,252
Hooks and eyes, E. F. Smith & Son.....	30,251
Jewelry, watchcases, and watch movements, R. R. Fogel.....	30,235
Lamps, Moonlight Patent Lamp Company.....	30,256
Liniment, F. P. Douglas.....	30,237
Milk, condensed, Mohawk Condensed Milk Com- pany.....	30,249
Mineral spring water, Poland, Hiram Ricker & Sons.....	30,239
Packing, steam and other, La Favorite Rubber Manufacturing Company.....	30,253
Paper, waterproof, Barrett Manufacturing Com- pany.....	30,236
Perfumed toilet preparations that are consumed in use, V. Klotz.....	30,244
Perfumery, confectionery, and distilled liquors, J. C. W. F. Tiemann.....	30,242
Prismatic glass for distributing light, Prismatic Electro Glazing Company.....	30,255
Remedy, headache, Hydro-Caffine Company.....	30,238
Soap, cleaning compounds, and starch, Phoenix Chemical Works, of Chicago.....	30,246
Soaps in cakes and bars, laundry and toilet, F. G. Burke.....	30,245

A printed copy of the specification and drawing of
any patent in the foregoing list, or any patent in print
issued since 1833, will be furnished from this office for
10 cents. In ordering please state the name and number
of the patent desired, and remit to Munn & Co., 361
Broadway, New York. Special rates will be given where
a large number of copies are desired at one time.

Canadian patents may now be obtained by the in-
ventors for any invention, new and useful, in the fore-
going list, provided they are simple, at a cost of \$40 each.
If complicated the cost will be a little more. For full
instructions address Munn & Co., 361 Broadway, New
York. Other foreign patents may also be obtained.



BURNS ELECTRICITY.

"The Chloride"

Most Powerful, Portable, Electric Lamp made for
BICYCLES, Miners, Policemen, Carriages, Gas Com-
panies, Oil Refineries, Boiler Inspectors. Burns 8 to 10
hours. Simple. Durable. Reliable.

Send for Circular and prices.

THE ELECTRIC PORTABLE LAMP CO., Drawer B, ELmira, N. Y.

1897 High Grade BICYCLES
for Men, Women, Girls &
Boys. Complete line at
lowest prices ever quoted
\$100 "Oakwood" for \$45.00
\$85 "Arlington" for \$37.50
\$55 " " " \$25.00
\$20 Bicycle " \$10.75
\$75 "Maywood" " \$32.00

simplest, Strongest Bicycle on earth
Fully guaranteed. Shipped anywhere C.O.D. with privi-
lege to examine. No money in advance. Buy direct
from manufacturers, save agents' and dealers' profits.
Large illustrated catalogue free. Address (in full).
Cash Buyers' Union, 162 W. Van Buren St. B. 131 Chicago

**BALL BEARING AXLES AND RUB-
BER TIRES.**—A paper read before the Carriage Builders'
National Convention, Philadelphia, October, 1894, show-
ing the advantage to be derived from the use of ball
bearings and pneumatic tires in road vehicles. Con-
tained in SCIENTIFIC AMERICAN SUPPLEMENT, No.
942. Price 10 cents. To be had at this office and from
all newsdealers.

ELECTRIC STROKE BELL, 25C.

The cheapest
electric stroke
Bicycle Bell and
the greatest bar-
gain ever offer-
ed. Pure bell
metal headed
gong; loud clear
ring. Perfect
continuous ringing me-
chanism. Regular price 60c. To
place a sample and our great catalogue
in consumers' hands we mail a sample
for ONLY 25 CENTS. Send 5 cents extra
for postage. AGENTS WANTED.
S. H. Ingersoll & Bro., 65 Cortlandt St., Dept. No. 147, N. Y.

TUBULAR DRIVING LAMP.

IT is the only perfect one.
IT will not blow or jar out.
IT gives a clear, white light.
IT is like an engine head-
light.
IT throws the light straight
ahead from 200 to 300 ft.
IT burns kerosene.
Send for book (free).
R. E. DIETZ CO., 60 Light Street, New York.
Mention this paper and get special discount.
—ESTABLISHED 1840.

HAWKINS' NEW CATECHISM OF ELECTRICITY

A PRACTICAL TREATISE
for Engineers, Electricians,
Wiremen and Amateurs. 350
pages, 300 illustrations, bound
in leather, pocketbook form,
gold titles and edges. Strictly
"Up-to-Date." Postpaid,
\$2.00. THEO. AUDEL & CO.,
63 Fifth Avenue, New York.

KRAFTUBERTRAGUNGSWERKE RHEINFELDEN.

Society for the Utilization of the Water
Power of the Rhine N/Bale, Switzerland.
16,800 H. P. NOW AVAILABLE, TO BE INCREASED TO 30,000 H. P.
The Company is in a position to let electric energy at exceptionally cheap rates and on the most favorable
terms. They also offer to applicants wishing to establish themselves near the works, suitable land on either the
German (Badish) or the Swiss side of the Rhine, in the vicinity of important railway lines. Cheap labor.
For further information please address The Manager, Kraftubertragungswerke, Rheinfelden, Switzerland.

3 1/2 in. Astronomic and Landscape Telescope, \$40. 6
inch Equatorial, \$110. Tyndeman & Son, Camden, N. J.

WE BUY PATENTS, small novelties. Colum-
bian Novelty Company, 766 Broad Street, Newark, N. J.

MODELS SECRECY GUARANTEED.
Equipped for all classes of work.
J. C. SEYL, 181 Madison St., CHICAGO.

ICE MACHINES. Corliss Engines, Brewers,
and Bottlers' Machinery. The Victor
Mfg. Co., 599 Clinton Street, Milwaukee, Wis.

STEEL TYPEWRITER ROLLS
TYPE WHEELS, MODELS & EXPERIMENTAL WORK. SMALL MACHINERY
NOVELTIES & ETC. NEW TO & STENCIL WORKS 100 NASSAU ST. N.Y.

Experimental & Model Work

Circs. and advice free. Gardam & Son, 45-51 Rose St., N. Y.

BAND FASTENERS THE BEST

A. P. DICKEY MFG. CO., RACINE, WIS.

STRONG CASTINGS. QUICK DELIVERY.

PATTERN WORK TO ORDER.
ACME MALLEABLE IRON WORKS, BUFFALO, N.Y.

MICA WASHERS

For all mechanical uses. Perfect insulators.
Samples and quotations furnished.

A. O. SCHOONMAKER, 158 William Street, New York.

WOODEN TANKS.

For Railroads, Mills and Manufacturers.
Builders of Steel Towers and Tanks.
La. Red Cypress Wood Tanks a specialty.
W. E. CALDWELL CO.,
217 E. Main Street, Louisville, Ky.

THE ANDERSON TYPEWRITER Beats Shorthand.

One stroke prints a word. 97 Nassau Street, New York.

CARBORUNDUM
HARDEST ABRASIVE KNOWN. EMERY AND
DIAMOND POWDER SUBSTITUTE. IN FLOUR,
POWDER, CRISTAL, WHEEL, SLAB, BLOCK, FORM,
CARBORUNDUM CO., NIAGARA FALLS, N.Y. U.S.A.

AMERICAN PATENTS.—AN INTER-

esting and valuable table showing the number of patents
granted for the various subjects upon which petitions
have been filed from the beginning down to December
31, 1894. Contained in SCIENTIFIC AMERICAN SUP-
PLEMENT, No. 1002. Price 10 cents. To be had at
this office and from all newsdealers.

Chain BELTING of Various Styles, ELEVATORS, CONVEYORS,

COAL MINING and HANDLING MACHINERY.

The JEFFREY MANUFACTURING CO., COLUMBUS, O.

Send for late Catalogue "C."

Branches: CHICAGO—NEW YORK.

600 Second BICYCLES
todoseout. All makes, GOOD
AS NEW, \$5 to \$15. NEW,
HIGH GRADE '96 Models,
fully guaranteed, \$18 to \$24.
'97 Models \$20 to \$30. Shipped
anywhere on approval.
Special Clearing Sale.
EARN A BICYCLE
by helping advertise us. We
will give one agent in each town FREE
USE of sample wheel to introduce them.
Write at once for our Special Offer.
O. W. Mead Cycle Co., Wabash Av., Chicago, Ill.

FREE OUTING CLOTHING
BOOK. Beautifully
illustrated. Shows 1897 Styles. Only book
on fashionable Outing clothing issued.
Send 2-cent stamp for Book G.
WHITE DUCK TROUSERS
by mail, prepaid, \$1.50. Send leg and waist
measure; allow for 2-inch roll at bottom.
Description.—Our trousers are made of
extra quality Duck, in best manner; side,
watch and hip pockets; taped seams; wide
hem on bottom and straps on waistband
for belt. All hand finished. Buy direct
and save retailers' big profits.
H. S. LOMBARD, Outfitter,
22, 24, 26 Merchants Row, BOSTON, MASS.

COLUMBIAN GENERATORS
The most powerful Electrical Generator
for its size and weight in the world. A
wonderful little machine. A bonanza for
the boys. A relief for the sick. Only \$2
each, packed ready for shipment. Agents
wanted. W. S. HILL, ELECTRIC CO.,
BOSTON, MASS. NEW BEDFORD, MASS.

AMPLIPHONE
Speaking Trumpet
For country, shore, and mountains.
By its use ordinary speech can be
distinctly heard for long distances.
Send for Circular.

HAWTHORNE & SIBLEY,
604-606 Chestnut Street, Philadelphia, Pa.

Worcester Polytechnic Institute

Worcester, Mass.
Courses of Study in Mechanical, Civil and Electrical
Engineering and Chemistry. 176 page catalogue, show-
ing appointments secured by graduates, mailed free.
Expenses low. 30th year. J. K. MARSHALL, Registrar.

LEHIGH PREPARATORY SCHOOL

Best recommendations. Young men are prepared for
Lehigh University, Yale, Harvard, Cornell, Princeton,
etc. Over seven hundred pupils of this school have
been admitted to Universities during the past eighteen
years. For particulars apply to
W. ULRICH, Ph.D., Bethlehem, Pa.

U Need "SPECKS" send to

F. E. Bailey, for Optical
Catalogue, Sample Case FREE
with Outfit. F. E. Bailey,
271 Wabash Avenue, Chicago,
Illinois.

HELP WANTED

UNCLE SAM

wants bright young men to take
the Civil Service Examinations
now being held throughout the United
States. \$1,200 to \$2,500 paid exam-
iners in the Patent Office. Full information
regarding all government positions,
salaries, dates of examinations, etc., free, if you
mention the Scientific American.

NATIONAL CORRESPONDENCE INSTITUTE (Incorporated),
U. S. Dept. 2d National Bank Building, Washington, D. C.

500 Celebrated "Syracuse" Bi-

cycles. New in original crates. Sur-
plus stock must be sold at once, \$10 to \$50
Shipped on approval. Send for List.
I. C. Brown-Lewis Cycle Co. Chicago.

PATENTS

TRADE MARKS, DESIGNS, COPYRIGHTS &c.

Anyone sending a sketch and description may
quickly ascertain, free, whether an invention is
probably patentable. Communications strictly
confidential. Oldest agency for securing patents
in America. We have a Washington office.
Patents taken through Munn & Co receive
special notice

Advertisements.


ORDINARY RATES.

Inside Page, each insertion -- 75 cents a line
Back Page, each insertion --- \$1.00 a line

For some classes of Advertisements, Special and Higher rates are required.

The above are charges per agate line—about eight words per line. This notice shows the width of the line, and is set in agate type. Engravings may head advertisements at the same rate per agate line, by measurement, as the letter press. Advertisements must be received at Publication Office as early as Thursday morning to appear in the following week's issue.

Ride The "Olive"

EVER
READYAND
RELIABLE

Strictly high grade. Features—attractive, practical and substantial. Special price to riders direct in unoccupied territory.

HELMET OIL LUBRICATES
ANYTHING.
IF YOU HAVE A HOT BOX TRY IT. CH-BESLY & CO.
CHICAGO-ILL-USA

KEUFFEL & ESSER CO.,
44 ANN STREET, NEW YORK.

Drawing Materials

Write for KEUFFEL & ESSER CO.'S "S. A." CATALOGUE of 1897. 28th edition, 424 pages. The most complete and reliable catalogue, representing the largest and most complete stock in this line.

GUNDLACH OPTICAL CO.
761-765 S. CLINTON ST.
ROCHESTER, N. Y.

SEND FOR LIST
OF
PHOTOGRAPHIC APPARATUS.
OUR NEW CYCLE OUTFIT CAN'T BE
BEATEN FOR QUALITY OR PRICE.

"Pullman" Bicycle Hanger

PULLMAN
SASH BAL. CO.
ROCHESTER, N. Y., U. S. A.

THE ONLY
ONE ROPE HANGER.

ROPE FAST-
ENS AUTO-
MATICALLY.

SENT
POSTAGE PAID
\$1.00. FITS ANY
WHEEL.

ADDITIONAL PATENTS PENDING.

MANUFACTURE OF BICYCLES.—A very comprehensive article giving the details of construction of every part of these vehicles. With 15 engravings. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 908. Price 10 cents. To be had at this office and from all newsdealers.

H. W. JOHNS' ASBESTOS STEAM PACKING

Boiler Coverings, Millboard, Roofing, Building Felt, Liquid Paints, etc.
DESCRIPTIVE PRICE LIST AND SAMPLES SENT FREE.
H. W. JOHNS MFG CO., 100 William St., New York.

EVERYBODY WHO RIDES
a Bicycle should have the
Rubber Pedal Attachment.
Changes Rat Trap to Rubber Pedals
in ten seconds, without bolts or riv-
ets. Sets of two mailed for 50c by
ELASTIC TIP CO., 370 Atlantic
Ave., Boston; 735 Market St., San
Pat. Apr. 20, 1897. Francisco; 115 Lake St., Chicago.

Preserve Your Papers.

Subscribers to the SCIENTIFIC AMERICAN and SCIENTIFIC AMERICAN SUPPLEMENT, who wish to preserve their papers for binding, may obtain the Koch Patent File at the office of this paper. Heavy board sides, inscription "Scientific American" and "Scientific American Supplement" in gilt. Price \$1.50, by mail, or \$1.25 at this office. Address

MUNN & CO., 361 BROADWAY, NEW YORK

Which would you rely on?

We make our
"PIONEER"
Tube of
Fifty Carbon
Steel

Because a Tube like this of our "PIONEER" Is just as strong as a Tube like this of

.50% CARBON STEEL

.25% CARBON STEEL

While WEIGHT FOR WEIGHT in a Bicycle our FIFTY CARBON Steel will last so long and TWENTY-FIVE CARBON Steel will last only so long

NOTE THE FULL IMPORT OF THE PARALLEL LINES.

The comparison which they graphically make indicates the result of the prolonged investigations of the most practical experts of the world. That the tests in our own laboratory corroborate these results is merely so much to its credit; that the same is true of actual trial on the road equally proves the trial to have been made in bicycles of correct design and construction. THE FACT REMAINS. The margin of safety is greatly increased by the use of this tube. Every bicycle manufacturer should use it; every dealer should insist on having it; every rider should demand it.

Send for Catalogue.

THE POPE TUBE CO., HARTFORD, CONN.

THOROUGH INSPECTIONS
AND
INSURANCE
AGAINST LOSS
OR
DAMAGE
TO
PROPERTY
AND
LOSS OF LIFE
AND
INJURY
TO PERSONS
CAUSED BY

STEAM-BOILER-EXPLOSIONS


HARTFORD STEAM BOILER INSPECTION AND INSURANCE CO.
CONN.

J. M. ALLEN, PRESIDENT W. B. FRANKLIN, VICE PRESIDENT
J. B. PIERCE, SECRETARY F. B. ALLEN, 2ND VICE PRESIDENT

THE BICYCLE: ITS INFLUENCE IN Health and Disease.—By G. M. Hammond, M.D. A valuable and interesting paper in which the subject is exhaustively treated from the following standpoints: 1. The use of the cycle by persons in health. 2. The use of the cycle by persons diseased. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1002. Price 10 cents. To be had at this office and from all newsdealers.

EXPERIENCE!

Pay \$ (X)—you have a "Charter"—the result of the Longest Experience in building Gasoline Engines in the U. S.
Pay less than (X)—you have experiment at your expense inferiority—for We have the Foundation Gasoline Engine Patents.
Catalogue, Testimonials and a Letter by addressing
CHARTER GAS ENGINE CO., Box 148, Sterling, Ill.



The high standing and long experience of the following

Gold AND Silver Miners

establish the value of their testimony regarding the working qualities of

"THE GRIFFIN MILL."

"We have concluded to order 10 more Griffin Mills. We have tried high-speed rolls and dry stamps, and after looking into the Huntington Dry Pulverizer, the Nord Pulverizer, the Stedman Pulverizer, the Frisbee-Lucop, the Cook, and various other dry pulverizers, unhesitatingly recommend your Griffin Mill to any one."

"The four Griffin Mills purchased of you for the firm of Ramon C. Ortiz, successor of this city, are running successfully, and to the entire satisfaction of the owners. We have ground the 'dumps' of the old Quebradilla Spanish Silver Mine, and it is the hardest ore I ever saw. The Mills will average 20 tons each per day of 24 hours at a speed of only 180 revolutions per minute, and I am confident when speeded to 200 revolutions their capacity will be very materially increased."

"We have had one of your Griffin Mills in operation at our mill in Breckenridge, and we are well pleased with its operation. It crushes from 40 to 50 tons of ore per day. We have used stamp and other mills, and are satisfied that the Griffin Mill is superior to any other of which we have any knowledge."

We will gladly send any interested person our pamphlet containing full description of The Griffin Mill and much other information regarding its demonstrated successes as a pulverizer of all refractory substances.

BRADLEY PULVERIZER CO., 92 State St., Boston.


R. POOLE & SON CO.
ENGINEERS,
FOUNDERS
AND
MACHINISTS.
BALTIMORE, MD.

MANUFACTURERS AND DESIGNERS OF ALL KINDS OF
HEAVY MACHINERY,
REQUIRING FIRST CLASS WORKMANSHIP AND MATERIALS.

BAND-ROPE
AND FLY WHEELS.
FRICTION
CLUTCHES.
PULLEYS,
AND HANGERS.
MACHINE MOLDED
AND PLANED GEARING.
POOLE-LEFFEL TURBINE
WATER-WHEELS.
CIRCULARS ON APPLICATION.

At 1/4 Price
Bicycles, Watches, Guns, Buggies, Harness, Sewing Machines, Organs, Pianos, Safe, Tools. Scales of all varieties and 1000 other articles. Lists free. CHICAGO SCALE CO., Chicago, Ill.

STEAM YACHTS, NAPHTHA LAUNCHES



Gas Engine & Power Co. and Chas. L. Seabury & Co., Consolidated, Morris Heights, New York.

PRIESTMAN SAFETY OIL ENGINE

"A thoroughly successful commercial Engine using a Safe OIL."—Franklin Institute
No Extra Insurance, No Steam, No Gas, No Gasoline. Reliable, Safe, Economical, and Convenient. Chosen by Nine Governments. Used for nearly every purpose.
PRIESTMAN & CO., Incorp'd,
530 Bourse Building, Philadelphia, Pa.


HALF A CENTURY OF CYCLES.—AN interesting history of the cycle from its origin in the present time. The first crank-driven bicycle. The "bone-shaker" and its successors. The tricycle. The modern wheel. Cycle building a science. Points of improvement. The pneumatic tire. A hand and foot cycle. With 9 illustrations. Contained in SCIENTIFIC AMERICAN SUPPLEMENT, No. 1012. Price 10 cents. To be had at this office and from all newsdealers.

"Ericson" Automatic Bicycle Bell

Attached to front fork of machine by a clamp bracket and connected by a small lever on the left handle bar. Operated by the finger without moving hand out of position. Made of best bell metal, has a fine silver ring, easily adjusted gives short or continuous ring, nickel plated. Send for Circular "S. A."
NUTTER, BARNES & CO.,
364 Atlantic Avenue, Boston.

Tribune & Bicycle

Tested and True.



The Easiest Running Wheel in the World.
Send for Catalogue.

THE BLACK MFG. CO., ERIE, PA.

Cameras
From \$2.50 to \$100.00 with full instructions for use. Send 4c in stamps for 100-page catalog of everything required for making and finishing photographs complete. All highest grade goods, low prices.
JAS. H. SMITH & CO.,
E 311 Wabash Ave., Chicago.
Manufacturers, Importers and Trade Agents.

Here's a Good Thing!

ALUMINUM LACQUER

for Bicycle Spokes. Easily applied. It makes them bright and they stay so. A postal will bring circular and coin holder, or 35c. will bring you a brush and bottle containing enough for one machine.
THE COLOPHITE MFG. CO.
97 Edgewood Ave., New Haven, Conn.

IMPERIAL BALL BEARING AXLE

A written guarantee with each set of axles.
97 PATTERN
8,000 sets in use. Indorsed by the leading carriage builders. Reduces friction 75 per cent. One horse can do the work of two. Mechanically perfect. Can be put on old or new work.
Write for our Illustrated Catalogue and Testimonials, which we send free on application.
Imperial Ball Bearing Axle Dept., 184-190 Lake Street, Chicago, Ill.

How your House will Look after it is Painted.

is clearly shown with Patton's House Painting Model (Pat'd). Over 20,000 artistic combinations easily made of

PATTON'S PAINTS

Pure Liquid
(Sun-Proof Brand.)

Model sent postpaid on receipt of 10 cts.—free of our agents. "How to Increase the Size of Your House With Paint" mailed free.

JAMES E. PATTON CO., Milwaukee, Wis., U. S. A.

JESSOP'S STEEL THE VERY BEST FOR TOOLS, SAWS, ETC.
WM JESSOP & SONS L2 91 JOHN ST. NEW YORK.

PRINTING INKS

The SCIENTIFIC AMERICAN is printed with CHAS. ENEU JOHNSON & CO.'S INK, Tenth and Lombard Sts., Philadelphia, and 47 Rose St., opp. Duane, New York.